

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0281445 - PHOEVER		Site Address 321 W WASHINGTON AV, SUNNYVALE, CA 94086		Inspection Date 09/18/2025		Placard Color & Score GREEN 90		
Program PR0422580 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name PHOEVER, LLC		Inspection Time 14:30 - 15:40			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By RYAN				FSC Trieu Sander 08/30/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0281445 - PHOEVER	Site Address 321 W WASHINGTON AV, SUNNYVALE, CA 94086	Inspection Date 09/18/2025
Program PR0422580 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name PHOEVER, LLC	Inspection Time 14:30 - 15:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations:

1. Observed raw meat stored above lettuce in the walk-in cooler.

[Corrective Action] Store raw meat below lettuce.

2. Observed a bagged meat stored directly on the floor in the walk-in cooler.

[Corrective Action] Store foods at least 6 inches above the floor on approved shelving.

3. Container of chicken observed stored under the handwash sink in the kitchen.

[Corrective Action] Discontinue storing foods under the handwash sink to prevent contamination.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations:

Heavy dust accumulation on the exhaust vent in the restroom.

[Corrective Action] Thoroughly clean and maintain clean.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations:

Observed a moist cloth used to cover lettuce at the work table.

[Corrective Action] Discontinue using cloth to cover foods.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

Water leak observed at the water heater.

[Corrective Action] Repair to stop the leak.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

1. Missing cove base near the mop sink.

[Corrective Action] Install cove base.

2. Epoxy on the floor in the kitchen observed deteriorated.

[Corrective Action] Maintain floors in good condition.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0281445 - PHOEVER	Site Address 321 W WASHINGTON AV, SUNNYVALE, CA 94086	Inspection Date 09/18/2025
Program PR0422580 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name PHOEVER, LLC	Inspection Time 14:30 - 15:40

Measured Observations

Item	Location	Measurement	Comments
egg rolls	cooling	83.00 Fahrenheit	
hot water	3 compartment sink	133.00 Fahrenheit	
tendon, beef	2 door prep cooler	41.00 Fahrenheit	pho
beef, shrimp	2 door prep cooler	41.00 Fahrenheit	stir fry
milk	2 sliding door upright cooler	41.00 Fahrenheit	
hot water	handwash sink	100.00 Fahrenheit	
ambient air	2 door undercounter cooler	40.00 Fahrenheit	
beef, raw shell eggs	walk-in cooler	41.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/2/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Ryan Vu
operator
Signed On: September 18, 2025