

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201307 - CAPOS NIGHT CLUB & RESTAURANT		Site Address 7588 MONTEREY RD, GILROY, CA 95020		Inspection Date 09/29/2023		Placard Color & Score <div style="background-color: black; color: white; padding: 10px; text-align: center;"> GREEN 93 </div>		
Program PR0307344 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name LOS CAPOS NIGHT CLUB INC		Inspection Time 19:50 - 21:00			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By NATALIE ROCHA				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201307 - CAPOS NIGHT CLUB & RESTAURANT	Site Address 7588 MONTEREY RD, GILROY, CA 95020	Inspection Date 09/29/2023
Program PR0307344 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name LOS CAPOS NIGHT CLUB INC.	Inspection Time 19:50 - 21:00
K48 Plan review		
K49 Permits available	X	
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash station at bar #2 has a blocked hand wash station.

[CA] Hand washing facility shall be clean, unobstructed, and accessible at all times.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Floors within bar area #2 have a large leak on the floor.

[CA] Clean/Sanitize the floor within the bar area before use. Facility was in the process of cleaning floors as specialist arrived.

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations: --48 HOUR NOTICE--

Our records indicate this facility has a delinquent account and is operating without a valid permit.

Total account balance due is \$1,540.00

Payment must be made within 48 hours (2 business days) to DEH at the address at the top of this report or via our website at www.Ehinfo.org

Previous written notification of account balance was provided in a Delinquent Permit Letter.

The right to an administrative hearing was waived for failure to respond to the Delinquent Permit Letter. A re-inspection will not be conducted if your account is paid in full by the Comply By date. The facility shall remain open and a new valid permit will be mailed after payment has been received. If your account has not been paid in full by the Comply By date, a re-inspection will be performed and the facility owner may be billed at the current hourly rate per County Ordinance Code B11-8. Non-payment of permit fees within 48 hours will result in additional legal actions up to and including facility closure.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Ambient (Non-PHF's)	Under counter refrigeration (7x)	40.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Hot water	3-Compartment (Bar area #2)	120.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer (Kitchen area)	50.00 PPM	
Warm water	Restroom	100.00 Fahrenheit	
Hot water	3-Compartment (Bar area)	120.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer #3 (Bar area)	50.00 PPM	
Sanitizer (Chlorine)	Dish washer #2 (Bar area)	50.00 PPM	
Hot water	3-Compartment (Kitchen)	120.00 Fahrenheit	

Overall Comments:

NOTE

- Facility still does not serve any food on site to the public. Notify this department if any food is sold on site to perform another routine inspection on equipment that is not being used currently.

- Kitchen area is not used by the facility; however, used when cater arrives on site.

OFFICIAL INSPECTION REPORT

Facility FA0201307 - CAPOS NIGHT CLUB & RESTAURANT	Site Address 7588 MONTEREY RD, GILROY, CA 95020	Inspection Date 09/29/2023
Program PR0307344 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name LOS CAPOS NIGHT CLUB INC.	Inspection Time 19:50 - 21:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/13/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Natalie Rocha
PIC
Signed On: September 29, 2023