

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211806 - UNA MAS #8		Site Address 2376 EL CAMINO REAL, SANTA CLARA, CA 95050		Inspection Date 07/07/2022	
Program PR0306596 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name RAMIREZ, JUAN		Inspection Time 09:40 - 10:30
Inspected By MELISSA GONZALEZ	Inspection Type ROUTINE INSPECTION	Consent By AURORA RAMIREZ	FSC JUAN CORONADO 11/30/2023		

Placard Color & Score GREEN 96

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods	X						S
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected	X	
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0211806 - UNA MAS #8	Site Address 2376 EL CAMINO REAL, SANTA CLARA, CA 95050	Inspection Date 07/07/2022
Program PR0306596 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name RAMIREZ, JUAN	Inspection Time 09:40 - 10:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: Raw shelled eggs stored above cut melon in walk-in cooler. [CA] All food shall be separated and protected from cross-contamination. Store all raw meat or other raw products of animal origin below ready-to-eat food items.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Leak observed on cold water knob of food prep sink when water is activated. [CA] Repair leak and maintain plumbing in good repair.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
hot water	handsink - restroom	100.00 Fahrenheit	
barbacoa	single door freezer 1	18.00 Fahrenheit	
cooked chicken	hot holding unit - steam table	156.00 Fahrenheit	
cooked rice	walk-in cooler	40.00 Fahrenheit	
cooked beans	hot holding unit - steam table	148.00 Fahrenheit	
cooked carne asada	4 drawer cold holding unit	40.00 Fahrenheit	
cooked chicken	4 drawer cold holding unit	39.00 Fahrenheit	
hot water	food prep sink	120.00 Fahrenheit	
hot water	handsink - food prep/warewash	100.00 Fahrenheit	
hot water	3 comp warewash sink	120.00 Fahrenheit	
cooked chicken	counter cooling - diligent prep	130.00 Fahrenheit	cooling on counter for less than 30 minutes
cooked rice	hot holding unit - steam table	145.00 Fahrenheit	
raw fish	4 drawer cold holding unit	40.00 Fahrenheit	
raw chorizo	single door freezer 2	18.00 Fahrenheit	
cooked beans	walk-in cooler	41.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/21/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0211806 - UNA MAS #8	Site Address 2376 EL CAMINO REAL, SANTA CLARA, CA 95050	Inspection Date 07/07/2022
Program PR0306596 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name RAMIREZ, JUAN	Inspection Time 09:40 - 10:30

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: _____

Signed On: July 07, 2022