County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209075 - PANDA EXPRESS #2277		Site Address 361 N CAPITOL AV, SAN JOSE, CA 95133		Inspection Date 08/19/2021	Placard Color & Score
Program PR0306231 - FOOD PREP / FO	DOD SVC OP 6-25 EMPLOYEES RC	2 - FP13	Owner Name PANDA EXPRESS GROUP IN	Inspection Time 12:15 - 13:15	<i>GREEN</i> N/A
Inspected By FRANK LEONG	Inspection Type FOLLOW-UP INSPECTION	Consent By KHANH HOANG			

Comments and Observations

Major Violations

Cited On: 08/16/2021

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 08/19/2021

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow-up inspection for closure due to cockroach activity.

The following violations was corrected:

K23M - COCKROACH ACTIVITY

Observed facility is free of cockroach activity.

- Continue to clean and sanitize any ares with activity.

- Continue to seal all cracks and crevices, focusing on areas with evidence of activity (such as accumulation of cockroach droppings).

- Observed underneath steam table on the left side, two areas with cockroach droppings. Clean and sanitize this area and seal

any/all openings to prevent further harborage.

- Observed crevices between metal wall seams and FRP wall panels. Seal all crevices to prevent further harborage.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>9/2/2021</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action		
[COS]	Corrected on Site		
[N]	Needs Improvement		
[NA]	Not Applicable		
[NO]	Not Observed		
[PBI]	Performance-based Inspection		
[PHF]	Potentially Hazardous Food		
[PIC]	Person in Charge		
[PPM]	Part per Million		
[S]	Satisfactory		
[SA]	Suitable Alternative		
	T DIFINITO C		

[TPHC] Time as a Public Health Control

Received By: KHANH HOANG MANAGER Signed On: August 19, 2021