

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0294035 - BAREBOTTLE BREWING COMPANY	Site Address 2520 AUGUSTINE DR, SANTA CLARA, CA 95054	Inspection Date 10/10/2026
Program PR0437918 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12	Owner Name BAREBOTTLE BREWING COI	Inspection Time 14:55 - 15:45
Inspected By THAO HA	Inspection Type FOLLOW-UP INSPECTION	Consent By GABRIELA MONTOYA PANG

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 10/08/2026

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 10/10/2026

Cited On: 10/08/2026

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

This violation found not in compliance on 10/10/2026. See details below.

Cited On: 10/08/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 10/10/2026

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow up inspection due to major vermin violation.

Prior to inspection operator has provided:

-Copies of the last two treatments by a licensed pest control operator and a report from pest control company stating no new evidence of cockroaches observed.

-Operator provided completed vermin reopening checklist and provided contract for ongoing pest management services. Per operator of Joyride pizza, contract is for service twice a week for the next 6 weeks.

Upon inspection:

-No live vermin observed at time of inspection.

-Shelves had been cleared and cleaned. No dead vermin observed in facility.

-One cockroach egg sack observed by the transformer and egg was discarded and removed from facility.

Other major violations from routine inspection report observed to be addressed:

-Handwash sinks in facility observed to be fully stocked with soap and paper towels.

-Handwash station set up is no longer above prep sink and is currently set up above dirty compartment of dishwash sink.

Facility has corrected 2 major violations, including closing criteria violation. Facility may reopen. Continue to work on other violations from routine inspection report from 10/8/2026.

Invoice for \$645.00 will be generated on 10/13/2026 and mailed to billing address.

OFFICIAL INSPECTION REPORT

Facility FA0294035 - BAREBOTTLE BREWING COMPANY	Site Address 2520 AUGUSTINE DR, SANTA CLARA, CA 95054	Inspection Date 10/10/2026
Program PR0437918 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 1 - FP12	Owner Name BAREBOTTLE BREWING COMPANY	Inspection Time 14:55 - 15:45

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/24/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Gabriela Montoya Pang
Manager

Signed On: October 10, 2026