County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K46 No unapproved private home/living/sleeping quarters
K47 Signs posted; last inspection report available



| | OFFIC | IAL INSPECT | ION RI | EPORT | | | | | | |
|---|--|----------------------------------|----------|-------------|--------|----------------------------|----------------|-----------------------|------|-----|
| Facility FA0255760 - FOGO DE CHAO | | | | | | Inspection Date 09/26/2023 | | Placard Color & Score | | |
| Program | ogram Owner Name | | | | | Inspection | | GR | EEI | N |
| | OD SVC OP 26+ EMPLOYEES RC | | FOGO DI | E CHAO, LLC | 20.041 | 12:30 - 1 | 4:00 | C | N | |
| nspected By Inspection Type Consent By FSC JOSE DOS SANTOS JOSEPH SCOTT ROUTINE INSPECTION LEANDRO RIBEIRO 11/12/2025 | | | | | | | / + | | | |
| RISK FACTORS AND INT | TERVENTIONS | | | | IN | OUT Major M | inor COS/SA | N/O | N/A | PBI |
| K01 Demonstration of knowled | lge; food safety certification | | | | Χ | | | | | S |
| ко2 Communicable disease; re | eporting/restriction/exclusion | | | | Х | | | | | |
| коз No discharge from eyes, n | os No discharge from eyes, nose, mouth | | | | Χ | | | | | |
| K04 Proper eating, tasting, drir | nking, tobacco use | | | | Х | | | | | |
| K05 Hands clean, properly was | shed; gloves used properly | | | | Χ | | | | | S |
| κο ₆ Adequate handwash facili | ties supplied, accessible | | | | Х | | | | | S |
| кот Proper hot and cold holdin | ng temperatures | | | | Χ | | | | | S |
| κοε Time as a public health co | | | | | | | | Х | | |
| K09 Proper cooling methods | | | | | | | | Х | | |
| к10 Proper cooking time & tem | nperatures | | | | Х | | | | | |
| K11 Proper reheating procedur | | | | | Х | | | | | |
| K12 Returned and reservice of | | | | | X | | | | | s |
| к13 Food in good condition, sa | | | | | Х | | | | | |
| K14 Food contact surfaces clea | | | | | X | | | | | S |
| K15 Food obtained from appro | <u>'</u> | | | | X | | | | | |
| K16 Compliance with shell stoo | | | | | | | | | Х | |
| K17 Compliance with Gulf Oys | | | | | | | | | X | |
| K18 Compliance with variance | | | | | | | | | X | |
| K19 Consumer advisory for ray | | | | | Х | | | | | S |
| | ities/schools: prohibited foods no | at heing offered | | | | | | | X | - 5 |
| K21 Hot and cold water availab | <u> </u> | nt being offered | | | Х | | | | | |
| | | | | | X | | | | | |
| | K22 Sewage and wastewater properly disposed K23 No rodents, insects, birds, or animals | | | | X | | | | | |
| | | | | | ^ | | | | 2115 | |
| GOOD RETAIL PRACTIC | | | | | | | | | OUT | cos |
| | Person in charge present and performing duties | | | | | | | | | |
| Proper personal cleanliness and hair restraints | | | | | | | | | | |
| | Approved thawing methods used; frozen food | | | | | | | | | |
| | Food separated and protected | | | | | | | | | |
| K28 Fruits and vegetables was | | | | | | | | | | |
| K29 Toxic substances properly | | | | | | | | | | |
| | Food storage: food storage containers identified | | | | | | | V | | |
| | Consumer self service does prevent contamination | | | | | | Х | | | |
| | Food properly labeled and honestly presented | | | | | | | | | |
| Nonfood contact surfaces clean | | | | | | | | | | |
| Warewash facilities: installed/maintained; test strips | | | | | | | | | | |
| Equipment, utensils: Approved, in good repair, adequate capacity | | | | | | Х | | | | |
| Equipment, utensils, linens: Proper storage and use | | | | | | | | | | |
| Vending machines | | | | | | | | | | |
| Adequate ventilation/lighting; designated areas, use | | | | | | | | | | |
| Thermometers provided, accurate | | | | | | | | | | |
| K40 Wiping cloths: properly used, stored | | | | | | | | | | |
| Plumbing approved, installed, in good repair; proper backflow devices | | | | | | | | | | |
| K42 Garbage & refuse properly disposed; facilities maintained | | | | | | | | | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | | | | | | | | | |
| _ | <u> </u> | e; Adequate vermin- _l | oroofing | | | | | | Χ | |
| K45 Floor, walls, ceilings: built, | ,maintained, clean | | | | | | | | | |

Page 1 of 3

R202 DAJ0WH8X0 Ver. 2.39.7

OFFICIAL INSPECTION REPORT

| Facility FA0255760 - FOGO DE CHAO | Site Address 377 SANTANA ROW | 1090, SAN JOSE, CA 95128 | | Inspection Date 09/26/2023 | | |
|--|---------------------------------|---------------------------------|----------------------------------|-------------------------------|--|--|
| Program PR0373522 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 | | Owner Name FOGO DE CHAO, LLC | Inspection Time 12:30 - 14:00 | | | |
| K48 Plan review | | | | | | |
| K49 Permits available | | | | | | |
| K58 Placard properly displayed/posted | | | | | | |

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K31 - 2 Points - Consumer self service does not prevent contamination; 114063, 114065

Inspector Observations: 2 SELF SERVE CONTAINERS STORED OUTSIDE THE SNEEZE GUARD PROTECTION [CA] RETURN TO SNEEZE GUARD.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: SELF SERVE LID BROKEN AND NO LONGER SELF CLOSES [CA] REMOVE FROM SERVING LINE. REPAIR.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: AT LEAST 2 EMPLOYEE DRINK IN THE PREP AREA [CA] RELOCATE.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| <u>ltem</u> | <u>Location</u> | Measurement | Comments |
|-------------------|-----------------------------|-------------------|----------|
| QUAT SANITIZER | 3 COMPARTMENT SINK BASIN | 300.00 PPM | |
| WARM WATER | HAND WASH SINK FAUCETS | 100.00 Fahrenheit | |
| MEAT | 1WALK IN COOLER | 34.00 Fahrenheit | |
| MILK | REAR 2 DOOR REFRIGERATOR | 35.00 Fahrenheit | |
| MEAT | HOT HOLDING CABINETS | 145.00 Fahrenheit | |
| HOT WATER | 3 COMPARTMENT SINK FAUCET | 120.00 Fahrenheit | |
| HI TEMP SANITIZER | HI TEMP DISHWASHING MACHINE | 180.00 Fahrenheit | |
| PRODUCE | WALK IN COOLER | 36.00 Fahrenheit | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 10/10/2023. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

| Facility | Site Address | | Inspection Date |
|--|--|-------------------|-----------------|
| FA0255760 - FOGO DE CHAO | 377 SANTANA ROW 1090, SAN JOSE, CA 95128 | | 09/26/2023 |
| Program | | Owner Name | Inspection Time |
| PR0373522 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC | 3 - FP17 | FOGO DE CHAO, LLC | 12:30 - 14:00 |

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

 [PIC]
 Person in Charge

 [PPM]
 Part per Million

 [S]
 Satisfactory

 [SA]
 Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: LEANDRO RIBEIRO

MANAGER

Signed On: September 26, 2023