

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0253553 - BAYLEAF TEA		Site Address 367 CYPRESS DR 120, MILPITAS, CA 95035	Inspection Date 06/05/2025
Program PR0369170 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name BAYLEAF-TEA LLC	Inspection Time 09:10 - 10:00
Inspected By JENNIFER RIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By HUE	

Placard Color & Score RED N/A
--

Comments and Observations

Major Violations

Cited On: 06/05/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Oat milk and two containers of heavy whipping cream measured in the temperature danger zone for more than 4 hours. [CA] PHFs shall be held at 41°F or below or at 135°F or above. [COS] Items were VC&D

Minor Violations

Cited On: 05/29/2025

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

This violation found not in compliance on 06/05/2025. See details below.

Cited On: 06/05/2025

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations: Upon arrival, observed facility open and operating. PIC stated that they submitted and paid the invoice. PIC showed a screen shot of an email sent to "dehweb" (no email address provided). Requested to have the email forwarded to district inspector. DEH has not received an application for this facility. Invoice has not been paid.

Facility is to cease and desist all operations until the Facility evaluation/Change of ownership inspections take place and a permit is issued from this department.

Facility will be charged a fee of 100% of the permit fee due to operating without a permit.

[CA] A food facility shall not be open for business without a valid health permit.

A facility found to be in continued operation without a permit may incur a penalty of three (3) times the operating permit fee, and fee(s) for re-inspection(s) charged at the current hourly rate approved by the Santa Clara County Board of Supervisors. Penalties and fees incurred due to enforcement activities must be paid in full prior to the issuance of an operating permit.

Measured Observations

N/A

Overall Comments:

Observed induction cooktop plugged in by the handwash sink and sitting on the floor.

OFFICIAL INSPECTION REPORT

Facility FA0253553 - BAYLEAF TEA	Site Address 367 CYPRESS DR 120, MILPITAS, CA 95035	Inspection Date 06/05/2025
Program PR0369170 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name BAYLEAF-TEA LLC	Inspection Time 09:10 - 10:00

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/19/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Hue Nguyen
Owner

Signed On: June 05, 2025