

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201295 - CIELITO LINDO RESTAURANT		Site Address 7460 MONTEREY ST, GILROY, CA 95020		Inspection Date 01/30/2025	
Program PR0302139 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name AVILA, GRISELDA		Inspection Time 13:15 - 14:45
Inspected By ANABELLE GARCIA	Inspection Type ROUTINE INSPECTION		Consent By VICTOR	FSC Not Available	

Placard Color & Score
GREEN
89

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized			X				N
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201295 - CIELITO LINDO RESTAURANT	Site Address 7460 MONTEREY ST, GILROY, CA 95020	Inspection Date 01/30/2025
Program PR0302139 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name AVILA, GRISELDA	Inspection Time 13:15 - 14:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Food safety manager certificate not available for review.

[CA] At least one person in the facility shall maintain a food safety manager certificate. Ensure food safety certificate is readily available for review at all times.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: 1) Warewash sink observed set up in the wrong order. Sanitizer was set up in the 2nd compartment of the 3 compartment sink.

[CA] Manual warewashing shall be accomplished by using a 3 compartment sink where utensils are first precleaned, then washed, rinsed, sanitized, and air dried.

2) Accumulation of mold like substance observed on inner panel of ice machine. Not in contact with ice.

[CA] Routinely clean and sanitize ice machine to prevent build up.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water at preparation sink at 3 composition sink measured between 107-112F.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: 1) Leak observed on drain pipe below kitchen handwash sink.

[CA] Repair plumbing fixture and maintain in good condition.

2) Kitchen handwash sink handle appears to be loose.

[CA] Secure handwash sink handle and maintain in good condition.

Performance-Based Inspection Questions

Needs Improvement - Food contact surfaces clean, sanitized.

OFFICIAL INSPECTION REPORT

Facility FA0201295 - CIELITO LINDO RESTAURANT	Site Address 7460 MONTEREY ST, GILROY, CA 95020	Inspection Date 01/30/2025
Program PR0302139 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name AVILA, GRISELDA	Inspection Time 13:15 - 14:45

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
red enchilada sauce	steam table	151.00 Fahrenheit	
raw shell eggs	walk in cooler	39.00 Fahrenheit	IR
chlorine	sanitizer bucket	100.00 PPM	
water	restroom handwash sink	100.00 Fahrenheit	
water	prep sink	112.00 Fahrenheit	
raw pork	single door upright freezer	18.00 Fahrenheit	IR
ambient	walk in cooler	39.00 Fahrenheit	
cooked chicken	walk in cooler	40.00 Fahrenheit	
rice	steam table	148.00 Fahrenheit	
raw beef	2 door upright cooler	41.00 Fahrenheit	
refried beans	steam table	152.00 Fahrenheit	
raw shrimp	2 door upright cooler	40.00 Fahrenheit	
water	3 comp sink	107.00 Fahrenheit	
water	handwash sink	100.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/13/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Ana Estrada
manager

Signed On: January 30, 2025