

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0253958 - GLOW		Site Address 2860 QUIMBY RD 100, SAN JOSE, CA 95148		Inspection Date 04/25/2023	
Program PR0370041 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name LE, HUONG		Inspection Time 15:30 - 16:45
Inspected By NHA HUYNH	Inspection Type ROUTINE INSPECTION		Consent By HANH	FSC Hung Tran 06/25/2023	

Placard Color & Score
<b>GREEN</b>
<b>90</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean	X	
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		X
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available	X	

# OFFICIAL INSPECTION REPORT

Facility FA0253958 - GLOW	Site Address 2860 QUIMBY RD 100, SAN JOSE, CA 95148	Inspection Date 04/25/2023
Program PR0370041 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name LE, HUONG	Inspection Time 15:30 - 16:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

**Inspector Observations:**

**Heavy accumulation of dust in the men's restroom vent and the vent above the ice machine. [Corrective Action]**

**Routinely clean.**

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

**Inspector Observations:**

**Observed knives stored in the crevice between the prep sink and the wall. [Corrective Action] Discontinue storing knives in the crevice. Store in a clean container.**

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

**Inspector Observations:**

**No toilet paper in the men's restroom. [Corrective Action] Provide toilet paper in the men's restroom.**

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

**Inspector Observations:**

**Heavy accumulation of grime on the floor at the prep sink and area around the cooking equipments. [Corrective Action] Routinely clean.**

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

**Inspector Observations:**

**Expired health permit posted. [Corrective Action] Post the current valid health permit in public view.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
raw shell eggs	2 door upright fridge	40.00 Fahrenheit	infrared
clam meat	2 door upright fridge	40.00 Fahrenheit	
hot water	handwash sink	106.00 Fahrenheit	
chlorine sanitizer	3 compartment sink	100.00 PPM	
hot water	3 compartment sink	128.00 Fahrenheit	
raw shell eggs	2 door prep unit	41.00 Fahrenheit	infrared

### Overall Comments:

**Facility is not serving food to customers at the moment.**

**Permit may be lowered to RC1 since no foods are offered to customers and per employee, they do not know when they will sell food again.**

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0253958 - GLOW	<b>Site Address</b> 2860 QUIMBY RD 100, SAN JOSE, CA 95148	<b>Inspection Date</b> 04/25/2023
<b>Program</b> PR0370041 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> LE, HUONG	<b>Inspection Time</b> 15:30 - 16:45

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/9/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

## Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Hanh  
Employee

**Signed On:** April 25, 2023