

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0200008 - MARINA MARKET		Site Address 1269 STATE ST, ALVISO, CA 95002		Inspection Date 09/23/2026		Placard Color & Score GREEN 85		
Program PR0301188 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name VIKHAR GAS		Inspection Time 16:05 - 16:35			
Inspected By PRINCESS LAGANA		Inspection Type ROUTINE INSPECTION		Consent By GAGANDEEP				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X		X			
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0200008 - MARINA MARKET	Site Address 1269 STATE ST, ALVISO, CA 95002	Inspection Date 09/23/2026
Program PR0301188 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name VIKHAR GAS	Inspection Time 16:05 - 16:35
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *REPEAT VIOLATION*

The only hand sink at restroom did not have single use towels.

[CA]: All hand sinks shall be equipped with hand soap and single use towels in a permanently installed dispenser.

[SA]: Specialist instructed PIC to provide single use towels at restroom hand sink.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: *REPEAT VIOLATION*

Maximum water temperature at 3 comp sink measured at 101F.

[CA]: Provide 120F of hot water at 3 comp sink.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Pressurized cylinder at back area not secured to a rigid structure.

[CA]: Pressurized cylinders shall always be stored properly/secured to a rigid structure

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Observed leak from the walk in cooler fan and leak being collected on a tray.

[CA]: Repair fan and remove leak.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
milk	aisle fridge	39.00 Fahrenheit	
hotdog	merchandiser	41.00 Fahrenheit	
water	hand sink restroom	100.00 Fahrenheit	
sour cream	merchandiser	40.00 Fahrenheit	

Overall Comments:

In conjunction with CO0160937.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/7/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0200008 - MARINA MARKET	Site Address 1269 STATE ST, ALVISO, CA 95002	Inspection Date 09/23/2026
Program PR0301188 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name VIKHAR GAS	Inspection Time 16:05 - 16:35

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

g.k

Received By: Gagandeep Batth
Cashier/Person in Charge
Signed On: September 23, 2026