

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206890 - SIGNIA BY HILTON SAN JOSE - MAIN KITCHEN		Site Address 170 S MARKET ST, SAN JOSE, CA 95113		Inspection Date 01/19/2026		Placard Color & Score GREEN 88		
Program PR0303809 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name BRSP MARKET SJ LLC		Inspection Time 10:45 - 12:15			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By CHEF JOE				FSC Joseph Derla 04/29/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206890 - SIGNIA BY HILTON SAN JOSE - MAIN KITCHEN		Site Address 170 S MARKET ST, SAN JOSE, CA 95113	Inspection Date 01/19/2026
Program PR0303809 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17		Owner Name BRSP MARKET SJ LLC	Inspection Time 10:45 - 12:15
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

The coffee area dump sink and rinse sink lacked hot water.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

Small flies were observed at the floor sink for the prep sink.

[CA] Ensure to maintain the facility free of animals, pests, and vermin.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

The blast chiller is in disrepair.

[CA] Ensure to maintain equipment clean and in good repair.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

The handwash sink in the coffee service area has a leak at the drainpipe.

[CA] Repair plumbing fixture and maintain in clean and good repair.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

The walk in cooler has the cove base detached from the floors.

[CA] Ensure to maintain the floors, walls, and ceilings of the facility clean and in good repair.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0206890 - SIGNIA BY HILTON SAN JOSE - MAIN KITCHEN	Site Address 170 S MARKET ST, SAN JOSE, CA 95113	Inspection Date 01/19/2026
Program PR0303809 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name BRSP MARKET SJ LLC	Inspection Time 10:45 - 12:15

Measured Observations

Item	Location	Measurement	Comments
Tilapia	Walk in Cooler	50.00 Fahrenheit	cooling, prep
Soup	Counter	150.00 Fahrenheit	
Water	Mop Sink	120.00 Fahrenheit	
Pork	Walk in Cooler	41.00 Fahrenheit	
Lactic Acid	Three Compartment Sink	400.00 PPM	Used facility strips
Tuna	Undercounter Cooler	40.00 Fahrenheit	
Tilapia	Final Cook	170.00 Fahrenheit	
Water	Three Compartment Sink	118.00 Fahrenheit	
Milk	Upright Cooler	38.00 Fahrenheit	
Water	Handwash Sink	100.00 Fahrenheit	

Overall Comments:

Notes:

- The two dishwashers were off due to scheduled maintenance.
- Facility is currently not using the room service cookline and pantry.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 2/2/2026. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Joe Derla
Chef
Signed On: January 19, 2026