

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202301 - LA MILPA MEXICAN RESTAURANT		Site Address 107 N MILPITAS BL, MILPITAS, CA 95035		Inspection Date 09/04/2025		Placard Color & Score GREEN 90		
Program PR0302884 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name LA MILPA MEXICAN RESTAURI		Inspection Time 15:45 - 17:00			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By RAMON				FSC Jose Rosales 02/22/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods			X				
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0202301 - LA MILPA MEXICAN RESTAURANT		Site Address 107 N MILPITAS BL, MILPITAS, CA 95035	Inspection Date 09/04/2025
Program PR0302884 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name LA MILPA MEXICAN RESTAURANT IN	Inspection Time 15:45 - 17:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Potentially Hazardous Foods in the inserts of the 2 door prep cooler in kitchen was measured at 46 degrees Fahrenheit.

[Corrective Action] Maintain Potentially Hazardous Foods at or below 41 degrees Fahrenheit.

K09 - 3 Points - Improper cooling methods; 114002, 114002.1

Inspector Observations:

Chicken in the 4 door upright cooler was observed cooling in a large tall tub.

[Corrective Action] Cool foods in a shallow pan no taller than 4 inches.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations:

Aluminum foil was observed stored directly under the soap dispenser at the handwash sink at the cookline.

[Corrective Action] Do not store any items under the soap dispenser.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

Back door left wide open. Screen door observed install but in disrepair.

[Corrective Action] Keep door closed when not actively going in or out. Repair or replace the screen door.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
liquid eggs	2 door prep cooler	38.00 Fahrenheit	
chicken	4 door upright cooler	77.00 Fahrenheit	cooling
raw shell eggs	2 door upright cooler	38.00 Fahrenheit	side storage
chicken	4 door upright cooler	41.00 Fahrenheit	
chicken, rice	steam table	155.00 Fahrenheit	
chlorine sanitizer	dishwasher	50.00 PPM	
hot water	2 compartment sink	134.00 Fahrenheit	
beef	4 drawer cooler	38.00 Fahrenheit	
sliced tomatoes, meat, cheese	2 door prep cooler - insert	46.00 Fahrenheit	
flan	above counter cooler	43.00 Fahrenheit	
meat	3 door upright cooler	40.00 Fahrenheit	side storage
liquid eggs	2 slide door upright cooler	34.00 Fahrenheit	side storage
salsa	2 slide door upright cooler	39.00 Fahrenheit	
milk, cheese, pork, liquid eggs	walk-in cooler	41.00 Fahrenheit	
chicken with sauce	walk-in cooler	69.00 Fahrenheit	cooling

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0202301 - LA MILPA MEXICAN RESTAURANT	Site Address 107 N MILPITAS BL, MILPITAS, CA 95035	Inspection Date 09/04/2025
Program PR0302884 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name LA MILPA MEXICAN RESTAURANT IN	Inspection Time 15:45 - 17:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/18/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Ramon Lopez
operator
Signed On: September 04, 2025