

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0255424 - STRAITS RESTAURANT	Site Address 333 SANTANA ROW 1100, SAN JOSE, CA 95128	Inspection Date 07/02/2021
Program PR0372977 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name STRAITS SANTANA ROW LLI	Inspection Time 11:20 - 11:30
Inspected By JASLEEN PURI	Inspection Type FOLLOW-UP INSPECTION	Consent By JULIAN

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Reinspection

Measured the temperature of hot water at 100F in handsinks and at 120F in all other sinks. Violation #21M from report dated 6/29/21 is now in compliance.

Facility reopened.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/16/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: _____

Signed On: July 02, 2021

Comment: Emailed report. No signature obtained due to covid.