

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211979 - SIZZLER RESTAURANT		Site Address 2855 AUGUSTINE DR, SANTA CLARA, CA 95054		Inspection Date 06/09/2026		Placard Color & Score GREEN 92		
Program PR0302515 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name C FOOD CONCEPTS INC		Inspection Time 14:00 - 14:50			
Inspected By HAYLEY MENTZ		Inspection Type ROUTINE INSPECTION		Consent By VANESSA				FSC Carmelita Baltierra 3/2/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X				X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0211979 - SIZZLER RESTAURANT	Site Address 2855 AUGUSTINE DR, SANTA CLARA, CA 95054	Inspection Date 06/09/2026
Program PR0302515 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name C FOOD CONCEPTS INC	Inspection Time 14:00 - 14:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Single-use food containers are stored on the floor.

[CA] Store food containers 6 inches off the ground to prevent contamination.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Several hood filters are damaged.

[CA] Ventilation hood filters shall be maintained clean and good repair.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: 1.Grime build-up and vents in disrepair in storage areas.

2.Panel used to fix a vent near the water heater is not flush to wall.

[CA] Repair screens. Eliminate gap greater than 1/4" to prevent the entrance and harborage of vermin

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Ceiling above the dishwasher has several holes.

[CA] Repair holes to prevent the harborage of vermin.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
tomato	2 door upright	37.00 Fahrenheit	
hard boiled egg	walk-in	38.00 Fahrenheit	
raw steak	drawer cooler	39.00 Fahrenheit	
chlorine	dishwasher	50.00 PPM	
cheese	2 door upright	38.00 Fahrenheit	
chicken	cookline	180.00 Fahrenheit	
chicken	steam table	140.00 Fahrenheit	
potato salad	salad buffet	40.00 Fahrenheit	
chlorine	sanitizer bucket	100.00 PPM	
seafood salad	walk-in	36.00 Fahrenheit	
raw chicken	walk-in	28.00 Fahrenheit	
warm water	handwash sinks	100.00 Fahrenheit	
hot water	prep sink	120.00 Fahrenheit	
hot water	3-comp	120.00 Fahrenheit	

Overall Comments:

Inspection conducted in conjunction with CO0159885

OFFICIAL INSPECTION REPORT

Facility FA0211979 - SIZZLER RESTAURANT	Site Address 2855 AUGUSTINE DR, SANTA CLARA, CA 95054	Inspection Date 06/09/2026
Program PR0302515 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name C FOOD CONCEPTS INC	Inspection Time 14:00 - 14:50

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/23/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Vanessa
PIC
Signed On: June 09, 2026