

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0281108 - UMI HANDROLL BAR		Site Address 387 S 1ST ST 101, SAN JOSE, CA 95113	Inspection Date 03/05/2026
Program PR0422038 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name LINH LE	Inspection Time 15:40 - 16:10
Inspected By ANABELLE GARCIA	Inspection Type FOLLOW-UP INSPECTION	Consent By CLAUDIO SANTIAGO	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 03/03/2026

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 03/05/2026

Cited On: 03/03/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 03/05/2026

Cited On: 03/03/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 03/05/2026

Minor Violations

Cited On: 03/03/2026

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Compliance of this violation has been verified on: 03/05/2026

Cited On: 03/03/2026

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Compliance of this violation has been verified on: 03/05/2026

Measured Observations

Item	Location	Measurement	Comments
water	3 comp sink	125.00 Fahrenheit	
water	hand wash sink	100.00 Fahrenheit	
chlorine	sanitizer bucket	100.00 PPM	

Overall Comments:

Follow-up inspection to the routine inspection conducted on 3/3/26. Facility was closed due to evidence of a vermin infestation and instructed to cease operation of food sales.

Observations:

- No evidence of a vermin infestation observed.
- Pest control service was provided today at 4:32 am with no activity reported.
- Exclusion measures have been completed.
- Checklist for reopening/copy of pest control report was provided.
- Hand wash sink wash repaired, no leak observed.
- Chlorine sanitizer observed, measured 100ppm.
- Chlorine sanitizer test strips provided.

Facility is now OPEN.

OFFICIAL INSPECTION REPORT

Facility FA0281108 - UMI HANDROLL BAR	Site Address 387 S 1ST ST 101, SAN JOSE, CA 95113	Inspection Date 03/05/2026
Program PR0422038 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name LINH LE	Inspection Time 15:40 - 16:10

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/19/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Aaron Padilla
PIC
Signed On: March 05, 2026