

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0282723 - TEA VILLA		Site Address 150 S 1ST ST 103, SAN JOSE, CA 95113	Inspection Date 01/03/2024
Program PR0424088 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name TEA VILLA LLC	Inspection Time 12:40 - 13:00
Inspected By JENNIFER RIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By THIEN	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 12/27/2023

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 01/03/2024

Minor Violations

Cited On: 12/21/2023

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

This violation found not in compliance on 01/03/2024. See details below.

Cited On: 12/27/2023

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

This violation found not in compliance on 01/03/2024. See details below.

Cited On: 01/03/2024

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Observed toaster oven in side back preparation area. [CA] All equipment must be approved for use inside a food facility. Toaster oven impounded.

Cited On: 12/21/2023

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Compliance of this violation has been verified on: 01/03/2024

Measured Observations

Item	Location	Measurement	Comments
Hot water	Janitorial sink	120.00 Fahrenheit	

Overall Comments:

This is a charged follow up inspection to the routine inspection conducted on 12/21/2023 and the first follow up conducted on 12/27/2023.

Janitorial sink has been cleared and is accessible. Hot water measured 120F.

OFFICIAL INSPECTION REPORT

Facility FA0282723 - TEA VILLA	Site Address 150 S 1ST ST 103, SAN JOSE, CA 95113	Inspection Date 01/03/2024
Program PR0424088 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name TEA VILLA LLC	Inspection Time 12:40 - 13:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/17/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Thien Nguyen
Employee

Signed On: January 03, 2024