

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0214420 - RADHE CHAAT		<b>Site Address</b> 934 E EL CAMINO REAL, SUNNYVALE, CA 94086	<b>Inspection Date</b> 12/05/2023
<b>Program</b> PR0304265 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		<b>Owner Name</b> ROTISABJI INC	<b>Inspection Time</b> 13:20 - 14:20
<b>Inspected By</b> SUKHREET KAUR	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> PARUL PATEL	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

Cited On: 11/29/2023

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Compliance of this violation has been verified on: 12/05/2023**

Cited On: 11/29/2023

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

**Compliance of this violation has been verified on: 12/05/2023**

**Minor Violations**

N/A

**Measured Observations**

Item	Location	Measurement	Comments
Boiled chickpeas	Prep unit	41.00 Fahrenheit	
Boiled potatoes	Prep unit	40.00 Fahrenheit	
Dhokla	Under counter refrigerator	41.00 Fahrenheit	
Chlorine	Dish machine	50.00 PPM	
Cut tomatoes	Prep unit	41.00 Fahrenheit	

**Overall Comments:**

*On site for follow up inspection for routine inspection from 11/29/2023*

*Major violations K07, K14, K21 corrected.*

*PHFs measured at 41F or below in prep unit. Per PIC, unit has been repaired.*

*Chlorine measured at 50 ppm in dish machine. Per PIC, machine had a broken pipe and it has been repaired.*

*No observation of any vermin activity. Although observed dead juvenile cockroaches in sticky trap and outside. Clean and sanitize areas of dead roaches. Per PIC, pest control services will be done every two weeks. Last pest control service is from 12/4/2023.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/19/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0214420 - RADHE CHAAT	<b>Site Address</b> 934 E EL CAMINO REAL, SUNNYVALE, CA 94086	<b>Inspection Date</b> 12/05/2023
<b>Program</b> PR0304265 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	<b>Owner Name</b> ROTISABJI INC	<b>Inspection Time</b> 13:20 - 14:20

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Parul Patel

**Signed On:** December 05, 2023