

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0300963 - DOSA CORNER		Site Address 1165 REED AV, SUNNYVALE, CA 94086	Inspection Date 08/27/2026
Program PR0423132 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name DOSA IDLI LLC	Inspection Time 12:40 - 13:10
Inspected By HAYLEY MENTZ	Inspection Type LIMITED INSPECTION	Consent By ARVIND	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Paper towels not stocked at handwash sinks.

[CA] Single-use sanitary towels shall be provided in dispensers; heated-air hand drying device may be substituted for single-use towels.

[COS] Paper towels were re-stocked at time of inspection

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured at 115F at 3-comp sink.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

Performance-Based Inspection Questions

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
warm water	handwash sink	100.00 Fahrenheit	
paneer	2 door under counter	40.00 Fahrenheit	
tomato	prep insert	39.00 Fahrenheit	
milk	upright cooler	39.00 Fahrenheit	
ambient	prep insert #2	40.00 Fahrenheit	

Overall Comments:

Inspection conducted in conjunction with CO0160674

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/10/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0300963 - DOSA CORNER	Site Address 1165 REED AV, SUNNYVALE, CA 94086	Inspection Date 08/27/2026
Program PR0423132 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name DOSA IDLI LLC	Inspection Time 12:40 - 13:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Arvind
owner

Signed On: August 27, 2026