County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

FacilitySite AddressFA0276643 - PANERA BREAD #44871189 E ARQUES AV, SUNNYVALE, CA 94085			ion Date 1/2023	ר		Color & Sco	
Program Owner Name		Inspection Time		GR	GREEN		
PR0417940 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13 PANGENERA LLC Inspected By Inspection Type Consent By FSC Ana Rios			0 - 10:40	-11	-11 (
JASLEEN PURI ROUTINE INSPECTION ANA RIOS 2/15/26						92	
RISK FACTORS AND INTERVENTIONS	IN		UT Minor	COS/SA	N/O	N/A	PBI
K01 Demonstration of knowledge; food safety certification	Х						
K02 Communicable disease; reporting/restriction/exclusion	Х						S
K03 No discharge from eyes, nose, mouth	Х						
K04 Proper eating, tasting, drinking, tobacco use	Х						
κο5 Hands clean, properly washed; gloves used properly	Х						S
K06 Adequate handwash facilities supplied, accessible	Х						S
K07 Proper hot and cold holding temperatures	Х						
K08 Time as a public health control; procedures & records		X		Х			
K09 Proper cooling methods					Х		
K10 Proper cooking time & temperatures					Х		
K11 Proper reheating procedures for hot holding					Х		
K12 Returned and reservice of food	Х						
K13 Food in good condition, safe, unadulterated	Х						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	Х						
K16 Compliance with shell stock tags, condition, display						X	
кит Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						Х	
K19 Consumer advisory for raw or undercooked foods						Х	
K20 Licensed health care facilities/schools: prohibited foods not being offered						Х	
K21 Hot and cold water available	Х						
K22 Sewage and wastewater properly disposed	Х						
K23 No rodents, insects, birds, or animals	Х						
GOOD RETAIL PRACTICES						OUT	cos
K24 Person in charge present and performing duties							
K25 Proper personal cleanliness and hair restraints							
K26 Approved thawing methods used; frozen food							
K27 Food separated and protected							
K28 Fruits and vegetables washed							
K29 Toxic substances properly identified, stored, used							
K30 Food storage: food storage containers identified							
K31 Consumer self service does prevent contamination							
K32 Food properly labeled and honestly presented							
K33 Nonfood contact surfaces clean							
K34 Warewash facilities: installed/maintained; test strips							
κ35 Equipment, utensils: Approved, in good repair, adequate capacity							
K36 Equipment, utensils, linens: Proper storage and use							
K37 Vending machines							
	K38 Adequate ventilation/lighting; designated areas, use						
K38 Adequate ventilation/lighting; designated areas, use							
K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate							
K38Adequate ventilation/lighting; designated areas, useK39Thermometers provided, accurateK40Wiping cloths: properly used, stored							
K38Adequate ventilation/lighting; designated areas, useK39Thermometers provided, accurateK40Wiping cloths: properly used, storedK41Plumbing approved, installed, in good repair; proper backflow devices							
K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow devices K42 Garbage & refuse properly disposed; facilities maintained							
K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow devices K42 Garbage & refuse properly disposed; facilities maintained K43 Toilet facilities: properly constructed, supplied, cleaned							
K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow devices K42 Garbage & refuse properly disposed; facilities maintained							
K38 Adequate ventilation/lighting; designated areas, use K39 Thermometers provided, accurate K40 Wiping cloths: properly used, stored K41 Plumbing approved, installed, in good repair; proper backflow devices K42 Garbage & refuse properly disposed; facilities maintained K43 Toilet facilities: properly constructed, supplied, cleaned							
K38Adequate ventilation/lighting; designated areas, useK39Thermometers provided, accurateK40Wiping cloths: properly used, storedK41Plumbing approved, installed, in good repair; proper backflow devicesK42Garbage & refuse properly disposed; facilities maintainedK43Toilet facilities: properly constructed, supplied, cleanedK44Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing							

OFFICIAL INSPECTION REPORT

Facility FA0276643 - PANERA BREAD #4487	Site Address 1189 E ARQUES AV, SUNNYVALE, CA 94085		Inspection Date 12/21/2023	
Program PR0417940 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC	Owner Name 2 - FP13 PANGENERA LLC		Inspection Time 09:10 - 10:40	
K48 Plan review				
K49 Permits available				
K58 Placard properly displayed/posted				

Comments and Observations

Major Violations

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Inspector Observations: Observed half & half and milk in carafes on self service counter marked 6 hrs past the point in time when removed from temperature control. [CA] Per California Retail Food Code, when time as a public health control is used, food shall be marked to indicate 4 hrs past the point in time when removed from temperature control. [COS] Employee changed out milk and half & half and put new time marking to discard in 4 hrs.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

<u>Item</u>	Location	Measurement	<u>Comments</u>
cut tomatoes	cold drawer	41.00 Fahrenheit	
chlorine	dishwashing machine	50.00 PPM	
eggs	hot holding	151.00 Fahrenheit	
cheese	walk-in-cooler	41.00 Fahrenheit	
DDBSA / Lactic Acid Sanitizer	3-comp-sink	700.00 PPM	700ppm DDBSA / 1875 ppm lactic acid
hot water	3-comp-sink/prep sink	120.00 Fahrenheit	
cheese	cold holding prep	40.00 Fahrenheit	
pepperoni	cold holding prep	40.00 Fahrenheit	
milk	reach down cooler	40.00 Fahrenheit	
pepperoni	walk-in-cooler	41.00 Fahrenheit	
soup	hot holding	152.00 Fahrenheit	
soup	walk-in-freezer	5.00 Fahrenheit	
yogurt	reach down cooler	40.00 Fahrenheit	
hot water	handsinks - kitchen & womens	100.00 Fahrenheit	
	restroom		

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>1/4/2024</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

- E	Facility Site Address I								
_	-					Inspection Date			
	FA0276643 - PANER	A BREAD #4487	1189 E ARQUES AV, SUNNYVALE, CA 94085			12/21/2023			
F	Program	Owner Name			Inspection Time				
	PR0417940 - FOOD I	2 - FP13 PANGENERA LLC			09:10 - 10:40				
Le	Legend:								
[CA									
[CC	S] Corrected on	Site							
[N]	Needs Improv	Needs Improvement							
[NA] Not Applicable	9							
[NC] Not Observed		Rec	eived By:	Ana Rios				
[PB	I] Performance-	based Inspection			Manager				
[PH	F] Potentially Ha	zardous Food	Sigi	ned On:	December 21, 2023				
[PIC	C] Person in Cha	arge							
[PP	M] Part per Millio	n							
[S]	Satisfactory								
[SA] Suitable Alterr	native							
[TP	HC] Time as a Pub	blic Health Control							

Page 3 of 3

R202 DAKF2GK6I Ver. 2.39.7