

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

**- No Signature**



1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org

**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0202042 - DIO DEKA		<b>Site Address</b> 210 E MAIN ST, LOS GATOS, CA 95030	<b>Inspection Date</b> 11/18/2020
<b>Program</b> PR0306114 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17		<b>Owner Name</b> KRONOS, LLC	<b>Inspection Time</b> 13:46 - 14:09
<b>Inspected By</b> STACEN MORRIS	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> KEVIN- CHEF	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

N/A

**Minor Violations**

N/A

**Measured Observations**

N/A

**Overall Comments:**

*A follow up inspection for the routine inspection conducted on November 4th.*

*The following violation has been corrected at this time.*

*The hot water temperature for the food prep sink and three compartment sink measured at 120F*

---

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/2/2020**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control