

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0213476 - HUNAN HOUSE		<b>Site Address</b> 122 S SUNNYVALE AV, SUNNYVALE, CA 94086		<b>Inspection Date</b> 06/15/2023	
<b>Program</b> PR0302845 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			<b>Owner Name</b> SIZZLING POT KING CORPO		<b>Inspection Time</b> 14:00 - 15:30
<b>Inspected By</b> DAVID LEE	<b>Inspection Type</b> ROUTINE INSPECTION	<b>Consent By</b> JIA	<b>FSC</b>		

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>91</b>
---

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion							
K03 No discharge from eyes, nose, mouth					X		
K04 Proper eating, tasting, drinking, tobacco use					X		
K05 Hands clean, properly washed; gloves used properly					X		
K06 Adequate handwash facilities supplied, accessible							
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated							
K14 Food contact surfaces clean, sanitized					X		
K15 Food obtained from approved source							
K16 Compliance with shell stock tags, condition, display					X		
K17 Compliance with Gulf Oyster Regulations					X		
K18 Compliance with variance/ROP/HACCP Plan							
K19 Consumer advisory for raw or undercooked foods							
K20 Licensed health care facilities/schools: prohibited foods not being offered							
K21 Hot and cold water available							
K22 Sewage and wastewater properly disposed							
K23 No rodents, insects, birds, or animals							

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built,maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0213476 - HUNAN HOUSE	<b>Site Address</b> 122 S SUNNYVALE AV, SUNNYVALE, CA 94086	<b>Inspection Date</b> 06/15/2023
<b>Program</b> PR0302845 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	<b>Owner Name</b> SIZZLING POT KING CORPORATION	<b>Inspection Time</b> 14:00 - 15:30
<b>K48</b> Plan review		
<b>K49</b> Permits available		
<b>K58</b> Placard properly displayed/posted		

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Inspector Observations: chopped garlic and ground meat in 2 door prep table cooler at 46F**  
**[CA]maintain perishable food under 41F (or 45F for dairy productss)**

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

**Inspector Observations: pickled vegetable container on hallway**  
**[CA]properly store food containers in designated area to prevent contamination**

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

**Inspector Observations: used pots in mopsink**  
**[CA]discontinue storing equipments/utensils in mopsink**

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

**Inspector Observations: back delivery door with approximately 1/4 inch gap**  
**[CA]eliminate door gap to prevent pest entry**

### Performance-Based Inspection Questions

N/A

### Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
chopped garlic, ground meat	2 door prep table cooler	46.00 Fahrenheit	
tofu	3 door reach in cooler	40.00 Fahrenheit	
chlorine	dishwashing machine	50.00 PPM	
beef	3 door prep table cooler	39.00 Fahrenheit	
sliced pork	2 door reach in cooler	38.00 Fahrenheit	

### Overall Comments:


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/29/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0213476 - HUNAN HOUSE	<b>Site Address</b> 122 S SUNNYVALE AV, SUNNYVALE, CA 94086	<b>Inspection Date</b> 06/15/2023
<b>Program</b> PR0302845 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	<b>Owner Name</b> SIZZLING POT KING CORPORATION	<b>Inspection Time</b> 14:00 - 15:30

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: jia

Signed On: June 15, 2023