

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0214169 - BOUDIN I SF BAKERY		Site Address 701 SUNNYVALE-SARATOGA RD, SUNNYVALE, CA		Inspection Date 02/04/2026	
Program PR0302780 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name ANDRE-BOUDIN BAKERIES I		Inspection Time 14:45 - 16:20
Inspected By KAYA ALASSFAR	Inspection Type ROUTINE INSPECTION		Consent By LYNNA	FSC HANS NEUENFELDT 1/24/2028	

Placard Color & Score
<b>GREEN</b>
<b>97</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records	X						
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0214169 - BOUDIN I SF BAKERY	<b>Site Address</b> 701 SUNNYVALE-SARATOGA RD, SUNNYVALE, CA 94087	<b>Inspection Date</b> 02/04/2026
<b>Program</b> PR0302780 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	<b>Owner Name</b> ANDRE-BOUDIN BAKERIES INC.	<b>Inspection Time</b> 14:45 - 16:20

K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Inspector Observations: Hot water at the food prep sink measured at 105F.**

**[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
cheese	prep refrigerator	41.00 Fahrenheit	
cut melons	cold holding drawer	40.00 Fahrenheit	
cheese	walk-in refrigerator	41.00 Fahrenheit	
tomatoes	prep refrigerator	41.00 Fahrenheit	
milk	undercounter refrigerato	41.00 Fahrenheit	
soup	hot holding	150.00 Fahrenheit	
salsa	cold holding drawer	41.00 Fahrenheit	
cut tomatoes	walk-in refrigerator	41.00 Fahrenheit	
lactic acid	3-comp sink	700.00 PPM	
deli meat	walk-in refrigerator	41.00 Fahrenheit	
tuna	prep refrigerator	41.00 Fahrenheit	
water	hand sinks	100.00 Fahrenheit	
water	3-comp sink	120.00 Fahrenheit	
water	prep sink	105.00 Fahrenheit	
dishwasher final rinse	dishwasher	160.00 Fahrenheit	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/18/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

### Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

**Received By:** LYNNA  
 SUPERVISOR  
**Signed On:** February 04, 2026