County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0210730 - GOLDEN HOUSE CHINESE RESTAURANT		Site Address 7108 SANTA TERESA BL, SAN JOSE, CA 95139		Inspection Date 11/15/2023
Program PR0302537 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name PHUNG, ANH A	Inspection Time 15:15 - 16:00
Inspected By GINA STIEHR	Inspection Type FOLLOW-UP INSPECTION	Consent By ANGIE		

Placard Color & Score
GREEN
N/A

Comments and Observations

Major Violations

Cited On: 11/14/2023

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 11/15/2023

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow-up inspection; no evidence of rodents observed during time of inspection. No other major violations observed during time of inspection. Facility ok to reopen.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 11/29/2023. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

[PIC] Person in Charge[PPM] Part per Million[S] Satisfactory[SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: Qiang Chen

Manager

Signed On: November 15, 2023

R202 DAL0YUGKZ Ver. 2.39.7

Page 1 of 1