

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0240368 - ANGKOR CHEF		Site Address 86 S 1ST ST, SAN JOSE, CA 951132406	Inspection Date 10/14/2025
Program PR0340460 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name ASPARA FOODS LLC	Inspection Time 13:55 - 14:40
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By KENT	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 10/02/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 10/14/2025

Minor Violations

Cited On: 10/02/2025

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Compliance of this violation has been verified on: 10/14/2025

Measured Observations

Item	Location	Measurement	Comments
Water	Handwash Sink	100.00 Fahrenheit	

Overall Comments:

This is the first follow up inspection for the routine inspection where the facility was closed for an active cockroach infestation. A completed and signed checklist for reopening and a pest control report were provided prior to this inspection.

Observations:

K23: There were no evidence of a cockroach infestation.

K45: The following structural deficiencies were corrected:

- Gaps around pipes under the hand wash and prep sinks.
- Untreated wood on the FRP under the prep sink.
- Cove base tiles in disrepair near the cook line.
- Holes in ceiling tiles in the kitchen.
- FRP in disrepair in the janitorial sink room.
- Gaps in the underneath areas of cabinets in the server/cashier area.

K48: The undercounter dishwasher machine remains to be impounded. It is now disconnected. Plans check review is pending.

Facility is okay to reopen.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/28/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0240368 - ANGKOR CHEF	Site Address 86 S 1ST ST, SAN JOSE, CA 951132406	Inspection Date 10/14/2025
Program PR0340460 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name ASPARA FOODS LLC	Inspection Time 13:55 - 14:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Kent
Manager

Signed On: October 14, 2025