

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0257167 - MOSAIC RESTAURANT	Site Address 211 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 07/17/2020
Program PR0375794 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name RED SILK INC	Inspection Time 12:30 - 13:30
Inspected By OBDULIA DUQUE-TURCIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By LESLIE YU

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

Cited On: 07/16/2020

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 07/17/2020. See details below.

Cited On: 07/17/2020

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: One adult cockroach was observed crawling on the wall above the 3-compartment sink and near the cleaned and sanitized pots and pans. [CA] A FOOD FACILITY shall always be constructed, equipped, maintained, and operated as to prevent the entrance and harborage of animals, birds, and VERMIN, including, but not limited to, rodents and insects. Clean and sanitize all food contact surfaces, and cooking areas. Must also clean walls, and if it is possible move equipment to reach overhead or enclosed areas. Obtain service of a professional pest control company today (07/17/2020) and use effective measures to control the entrance and harborage of fruit flies.

Follow-up By
07/20/2020

Minor violation: Several death cockroaches were observed on the floor under the 3-compartment sink, dishwasher area, and cooking equipment. [CA] Remove all cockroaches, and properly clean non-food contact surfaces to ensure no evidence of vermin in the food facility.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

A follow-up inspection took place today to ensure compliance with major violation 23M (Vermin infestation). Today in the follow-up inspection, one adult cockroach was observed crawling on the wall above the 3-compartment sink and near the cleaned and sanitized pots and pans. In addition, several death cockroaches were observed on the floor under the 3-compartment sink, dishwasher area, and cooking equipment.

Food facility is closed due to vermin infestation (cockroaches) and food facility shall remain closed until violation is corrected. Immediately cease and desist food operation until vermin infestation (cockroaches) is controlled.

Report emailed to les@mosaicdowntown.com

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/31/2020**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

OFFICIAL INSPECTION REPORT

Facility FA0257167 - MOSAIC RESTAURANT	Site Address 211 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 07/17/2020
Program PR0375794 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name RED SILK INC	Inspection Time 12:30 - 13:30

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

E-mailed to P.I.C

Received By: _____

Signed On: July 17, 2020