

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0258721 - TEA VILLA		<b>Site Address</b> 2200 EASTRIDGE LP K0004, SAN JOSE, CA 95122	<b>Inspection Date</b> 01/27/2023
<b>Program</b> PR0378941 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		<b>Owner Name</b> TEA VILLA LLC	<b>Inspection Time</b> 12:35 - 13:20
<b>Inspected By</b> HENRY LUU	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> HONG	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
----------------------------------------------------------------

**Comments and Observations**

**Major Violations**

Cited On: 01/27/2023

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Compliance of this violation has been verified on: 01/27/2023**

**Minor Violations**

N/A

**Measured Observations**

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Warm water	Hand wash sink	109.00 Fahrenheit	

**Overall Comments:**

- *On-site for chargeable re-opening inspection of facility.*
- *Facility was closed and health permit was suspended on 1/25/2023 due to continued non-compliance:*
  - *K06M - Inadequate handwash facilities supplied or accessible.*
  - *K49 - Permits not available.*
- *Facility has re-installed hand wash station.*
  - *Paper towels in dispenser and hand soap was provided.*
  - *Warm water (109F) and cold water was supplied to sink.*
- *Facility has submitted payments for all outstanding balances - chargeable follow-up inspections and health permit.*
  - *Receipt confirmation was forwarded via email to district inspector.*
- *Receipt confirmation was provided for Food Safety Manager course and exam.*
  - *Confirmation was forwarded via email to district inspector.*
  - *Provide valid Food Safety Certified (FSC) manager certificate within 60 days.*
  - *FSC shall be available for review at all times.*
  - *Failure to provide valid FSC upon request at next routine inspection, enforcement action, up to, but not limited to permit suspension and facility closure will be taken.*
- *Facility is hereby authorized to reopen and resume operations.*
- *Facility will be billed at \$219/hour, minimum one hour for current follow-up inspection.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/10/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0258721 - TEA VILLA	<b>Site Address</b> 2200 EASTRIDGE LP K0004, SAN JOSE, CA 95122	<b>Inspection Date</b> 01/27/2023
<b>Program</b> PR0378941 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	<b>Owner Name</b> TEA VILLA LLC	<b>Inspection Time</b> 12:35 - 13:20

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Lam  
Owner

**Signed On:** January 27, 2023