

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276742 - PRESSED JUICERY		Site Address 355 SANTANA ROW, SAN JOSE, CA 95128		Inspection Date 07/16/2025	
Program PR0418130 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name PRESSED JUICERY, LLC		Inspection Time 10:45 - 11:45
Inspected By HINA WYNE	Inspection Type ROUTINE INSPECTION	Consent By NALELLY	FSC Nallely Mondragon Suarez 07/04/2030		

Placard Color & Score
GREEN
83

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food						X	
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0276742 - PRESSED JUICERY	Site Address 355 SANTANA ROW, SAN JOSE, CA 95128	Inspection Date 07/16/2025
Program PR0418130 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name PRESSED JUICERY, LLC	Inspection Time 10:45 - 11:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Cut strawberries, mangoes and blueberries measured at 50F at prep-line in cold-holding unit for one hour. [CA] PHFs shall be held at 41°F or below [SA] Adjusted the temperature setting on unit to lower PHF temperature.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water in bathroom sink measured at 75F [CA] Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Accumulation of fruit flies in the storage area near bananas and up near prep-line. [CA] Food facility shall be kept free of non-disease carrying insects, weevils, ants, gnats, and fruit flies.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Food stored on the floor in walk-in cooler. [CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: 1. Only one stopper available for 3-comp sink.[CA] Plugs/stoppers shall be available to fill up all compartments of the warewashing sink.

2. Dishes were stacked too high out of soapy water for soaking. [CA] Make sure to fully immerse dishes for proper washing and sanitizing.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Scoop handle was stored touching the cut strawberries at the prep line. [CA] Store scoop handle in such a way that the handle does not come in direct contact with food to prevent contamination.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: 1. Prep-sink had no air gap leading into the floor sink.

2. Ice machine drain line placed directly into floor sink with no air gap.

[CA] Food preparation sink shall discharge liquid waste by means of indirect waste pipes into a floor sink or other approved type of receptor equipped with a minimum 1" air gap.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0276742 - PRESSED JUICERY	Site Address 355 SANTANA ROW, SAN JOSE, CA 95128	Inspection Date 07/16/2025
Program PR0418130 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name PRESSED JUICERY, LLC	Inspection Time 10:45 - 11:45

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
ambient	2-door display fridge	40.00 Fahrenheit	
ambient	walk-in cooler	42.00 Fahrenheit	
ambient	one-door upright cooler	42.00 Fahrenheit	
quat	sanitizer bucket back area	200.00 PPM	
quat	sanitizer bucket at prep line	200.00 PPM	
warm water	handwash sink	100.00 Fahrenheit	
ambient	chest freezer	10.00 Fahrenheit	
mango	cold holding insert	55.00 Fahrenheit	diligent prep
hot water	mop sink	120.00 Fahrenheit	
ambient	2-door upright cooler	42.00 Fahrenheit	
strawberry	cold holding insert	52.00 Fahrenheit	diligent prep

Overall Comments:

Joint inspection and report written by Hayley Mentz

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 7/30/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Nalelly
PIC

Signed On: July 16, 2025