

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202910 - OMEGA RESTAURANT		Site Address 90 S PARK VICTORIA DR, MILPITAS, CA 95035		Inspection Date 05/16/2025	
Program PR0300917 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name GAMBOA, MIGUEL		Inspection Time 15:20 - 16:40
Inspected By NHA HUYNH	Inspection Type ROUTINE INSPECTION	Consent By RAFAEL	FSC Josefa Saldivar Suarez 06/13/2027		

Placard Color & Score GREEN 91

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean	X	
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0202910 - OMEGA RESTAURANT	Site Address 90 S PARK VICTORIA DR, MILPITAS, CA 95035	Inspection Date 05/16/2025
Program PR0300917 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GAMBOA, MIGUEL	Inspection Time 15:20 - 16:40
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Milk and whip cream in the single door undercounter cooler was measured at 48 degrees Fahrenheit.

[Corrective Action] Maintain Potentially Hazardous Foods at or below 41 degrees Fahrenheit.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations:

Dust and grime accumulation on the fan guard of the evaporator in the walk-in cooler.

[Corrective Action] Thoroughly clean and maintain clean.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Rubber seal on the door of the single door undercounter cooler and the 2 door upright cooler were observed damaged.

[Corrective Action] Repair or replace the rubber seal.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations:

1. Knives observed stored in the crevice between the work table and the 2 door prep cooler in the kitchen.

[Corrective Action] Discontinue storing knives in the crevice.

2. Observed cloth used to cover bacon in the walk-in cooler.

[Corrective Action] Discontinue using cloth to cover foods.

3. Water not turned on for the dipper well. The knob is not the correct type for the dipper well.

[Corrective Action] Ensure the water is turned on for the dipper well. Replace the faucet with turn knob type.

4. Pressurized cylinder next to the water heater at the bar was not secured to a rigid structure.

[Corrective Action] Secure the pressurized cylinder to a rigid structure.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0202910 - OMEGA RESTAURANT	Site Address 90 S PARK VICTORIA DR, MILPITAS, CA 95035	Inspection Date 05/16/2025
Program PR0300917 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GAMBOA, MIGUEL	Inspection Time 15:20 - 16:40

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
hot water	3 compartment sink	135.00 Fahrenheit	
pie, butter	single door upright display cooler	40.00 Fahrenheit	
meat	2 door prep cooler	40.00 Fahrenheit	
mash potatoes	work table	97.00 Fahrenheit	cooling
milk, whip cream	single door undercounter cooler	48.00 Fahrenheit	
hot water	handwash sink	106.00 Fahrenheit	
chlorine sanitizer	dishwasher	50.00 PPM	
soup	hot holding unit	143.00 Fahrenheit	
soup	steam table	142.00 Fahrenheit	
bacon, raw shell eggs, potatoes, meat	walk-in cooler	35.00 Fahrenheit	
whip cream	2 door prep cooler	38.00 Fahrenheit	service
whip cream, butter	single door prep cooler	39.00 Fahrenheit	
raw shell eggs, heavy cream	2 door upright cooler	40.00 Fahrenheit	

Overall Comments:

A routine inspection was conducted in conjunction with a complaint investigation.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/30/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Rafael Gamboa
person in charge

Signed On: May 16, 2025