

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206885 - BIRYANI & BEYOND		Site Address 17 S 4TH ST, SAN JOSE, CA 95112		Inspection Date 10/21/2025	
Program PR0304057 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name BIRYANI & BEYOND LLC		Inspection Time 14:55 - 16:00
Inspected By ALEXANDER ALFARO	Inspection Type ROUTINE INSPECTION		Consent By SRIHARI	FSC Farhan Ahmed 11/17/2027	

Placard Color & Score
RED
76

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						N
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						N
K06 Adequate handwash facilities supplied, accessible		X					N
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals		X					

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built, maintained, clean	X	
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206885 - BIRYANI & BEYOND	Site Address 17 S 4TH ST, SAN JOSE, CA 95112	Inspection Date 10/21/2025
Program PR0304057 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name BIRYANI & BEYOND LLC	Inspection Time 14:55 - 16:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

Both handwash stations in the kitchen lacked paper towels.

[CA] Handwashing facilities shall be equipped with handwashing cleanser and single-use sanitary towels in dispensers.

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: 1. Observed Vermin: Documented in the following areas:

- Live cockroaches of all life stages were observed throughout the facility on the floor, on cooking equipment, in aluminum foil roll, hinges of coolers, on sticky traps, on electrical wires, conduit pipes, on the ceiling, under mount of security camera in the front cookline area, and in the frames of food handler certifications.

- A few dead cockroaches were observed on traps.

- Heavy droppings accumulation on the walls near posters and holes.

- Facility was treated by pest control company today. PEst control company noted over 25 live German cockroaches. Ensure to work on the identified risks and controls observed by the pest control company.

2. Photographs: Taken for documentation purposes.

3. Supervisor Notified: Yes

4. Notification: The person in charge during inspection, Ram, has been informed that the facility must close immediately.

[CA]: The premises of each food facility must be maintained free of vermin. A facility cannot operate if there is a vermin infestation that leads to contamination of food contact surfaces, packaging, utensils, food equipment, or adulteration of food. The facility is required to cease operations immediately and must remain closed until all corrective actions on the provided checklist are completed.

Requirements Before Reopening:

1. Email the signed and completed Reopening Checklist to the assigned inspector.

2. Submit a copy of the pest control report from a licensed provider.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Facility's testing materials are in disrepair.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

The handwash sink in the back cookline area is leaking at the p trap.

[CA] Repair plumbing fixture and maintain in clean and good repair.

OFFICIAL INSPECTION REPORT

Facility FA0206885 - BIRYANI & BEYOND	Site Address 17 S 4TH ST, SAN JOSE, CA 95112	Inspection Date 10/21/2025
Program PR0304057 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name BIRYANI & BEYOND LLC	Inspection Time 14:55 - 16:00

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

There is a two door upright cooler (sliding glass doors) that is no longer needed for the operation.

[CA] The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

1. The stainless steel wall is detaching from the wall at the front cookline area. There are also holes in the wall.

2. The cove base tiles near the back cookline area are in disrepair.

3. There are holes in the walls and ceilings.

4. The grouting of floor tiles has disappeared in the front cookline area.

[CA] Ensure to maintain the floors, walls, and ceilings of the facility clean and in good repair to prevent the entrance and harborage of vermin.

Performance-Based Inspection Questions

- Needs Improvement - Hands clean/properly washed/gloves used properly.
- Needs Improvement - Adequate handwash facilities: supplied or accessible.
- Needs Improvement - Communicable disease; reporting/restriction/exclusion.

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Water	Handwash Sink	100.00 Fahrenheit	
Biryani	Pot on stove	140.00 Fahrenheit	

Overall Comments:

Notes:

- Please contact district specialist, Alexander Alfaro (alexander.alfaro@deh.sccgov.org), or DEH main line at (408)918-3400 to schedule a follow up inspection. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 11/4/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

OFFICIAL INSPECTION REPORT

Facility FA0206885 - BIRYANI & BEYOND	Site Address 17 S 4TH ST, SAN JOSE, CA 95112	Inspection Date 10/21/2025
Program PR0304057 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name BIRYANI & BEYOND LLC	Inspection Time 14:55 - 16:00

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Srihari
Manager

Signed On: October 21, 2025