

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0268025 - A1 GROCERIES		Site Address 143 E VIRGINIA ST A, SAN JOSE, CA 95112		Inspection Date 12/19/2024		Placard Color & Score GREEN 95		
Program PR0395541 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name SAMEEH ALSHARIF		Inspection Time 10:00 - 10:30			
Inspected By PRINCESS LAGANA		Inspection Type ROUTINE INSPECTION		Consent By HAMZEH ALSHARIF				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0268025 - A1 GROCERIES	Site Address 143 E VIRGINIA ST A, SAN JOSE, CA 95112	Inspection Date 12/19/2024
Program PR0395541 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name SAMEEH ALSHARIF	Inspection Time 10:00 - 10:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: *REPEAT VIOLATION*

Maximum water temperature at restroom hand sink measured at 91F. Maximum water temperature at mop sink measured at 111F.

[CA]: Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

Continued non-compliance may result to further enforcement actions including charged office hearing.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: Missing temperature measuring device in refrigeration unit.

[CA]: Provide a thermometer that is located to measure air temperature in the warmest part of the refrigeration unit.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
milk	walk in cooler	41.00 Fahrenheit	
raw shell eggs	walk in cooler	41.00 Fahrenheit	
ambient temp	3 door reach in	40.00 Fahrenheit	
ambient temp	chest freezer	-2.40 Fahrenheit	

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: A1 GROCERIES

NEW OWNER: SAMEEH SALAH ALSHARIF

The applicant has completed the facility evaluation application process for an Environmental Health Permit.

The permit category for this facility is FP06. An invoice for the permit fee in the amount of \$777.00 will be mailed to the billing address on the application. Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 01/01/2025 - 12/31/2025. This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report. Okay to Operate.

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

***Structural Review inspection conducted on 12/19/2024.**

Permit owner to submit water heater specifications to Specialist via phone at 669-356-2165 or via email at

OFFICIAL INSPECTION REPORT

Facility FA0268025 - A1 GROCERIES	Site Address 143 E VIRGINIA ST A, SAN JOSE, CA 95112	Inspection Date 12/19/2024
Program PR0395541 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name SAMEEH ALSHARIF	Inspection Time 10:00 - 10:30

Princess.Lagana@deh.sccgov.org. If water heater is found to be undersized for current operation, permit owner may be subject to plan check requirements.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/2/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Hamzeh Alsharif
Son of Owner
Signed On: December 19, 2024