

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0300431 - AFC STEAM TABLE @ SAN JOSE STATE UNV.		Site Address 211 S 9TH ST, SAN JOSE, CA 95112		Inspection Date 12/03/2024		Placard Color & Score GREEN 94		
Program PR0422508 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name ADVANCED FRESH CONCEP		Inspection Time 11:45 - 13:20			
Inspected By ANABELLE GARCIA		Inspection Type ROUTINE INSPECTION		Consent By JOEY				FSC Joey Nguyen 03/21/28

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0300431 - AFC STEAM TABLE @ SAN JOSE STATE UNV.	Site Address 211 S 9TH ST, SAN JOSE, CA 95112	Inspection Date 12/03/2024
Program PR0422508 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name ADVANCED FRESH CONCEPTS FRANCHISE C	Inspection Time 11:45 - 13:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: In the ramen prep station area (on ice): soy eggs and cooked vegetables measured between 45-48F. Per operator, all food items were placed on ice one hour prior.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Quaternary ammonium measured at 0ppm in sanitizer bucket. Facility fills sanitizer buckets from main kitchen 3 composition sink. Sanitizer container observed empty.

[CA] Ensure quaternary ammonium is maintained at 200ppm in sanitizer buckets.

[COS] Food employee replaced sanitizer container. Re-measured at 200ppm.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
cooked chicken	walk in cooler	41.00 Fahrenheit	
cooked bamboo shoots	ice bath (ramen prep station)	47.00 Fahrenheit	time marked, discarding at 2pm
teriyaki chicken	hot holding	148.00 Fahrenheit	
beef bbq	hot holding	162.00 Fahrenheit	
tofu	warmer	138.00 Fahrenheit	
water	handwash sink	100.00 Fahrenheit	
quaternary ammonium	sanitizer bucket	0.00 Fahrenheit	re-measured at 200ppm
fried noodles	hot holding cabinet	143.00 Fahrenheit	
cooked mushrooms	ice bath (ramen prep station)	45.00 Fahrenheit	time marked, discarding at 2pm
cooked soy eggs	ice bath (ramen prep station)	48.00 Fahrenheit	time marked, discarding at 2pm
cooked corn	ice bath (ramen prep station)	47.00 Fahrenheit	time marked, discarding at 2pm
miso soup	warmer	173.00 Fahrenheit	

Overall Comments:

Facility name: Japanese Kitchen by Wild Blue

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/17/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0300431 - AFC STEAM TABLE @ SAN JOSE STATE UNV.	Site Address 211 S 9TH ST, SAN JOSE, CA 95112	Inspection Date 12/03/2024
Program PR0422508 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name ADVANCED FRESH CONCEPTS FRANCHISE C	Inspection Time 11:45 - 13:20

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Joey Nguyen
manager

Signed On: December 03, 2024