

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202438 - ERIK'S DELICAFE		Site Address 148 N MILPITAS BL, MILPITAS, CA 95035		Inspection Date 01/13/2026	
Program PR0305391 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name D & J ENTERPRISES		Inspection Time 09:30 - 09:50
Inspected By NHA HUYNH	Inspection Type FOLLOW-UP INSPECTION		Consent By JESSICA		

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 12/26/2025

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 01/13/2026

Cited On: 12/26/2025

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Compliance of this violation has been verified on: 01/13/2026

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
hot water	handwash sink	105.00 Fahrenheit	
chlorine sanitizer	dishwasher	50.00 PPM	

Overall Comments:

A follow-up inspection was conducted to verify major violations from routine inspection conducted on 12/26/2025 are in compliance.

K14: Chlorine sanitizer concentration in the dishwasher was measured at 50 ppm.

K22: The floor sink under the dishwasher was observed draining properly and no overflow.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/27/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Jessica Gutierrez
 Person in charge

Signed On: January 13, 2026