

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209568 - PHO CONG LY		Site Address 460 E WILLIAMS ST, SAN JOSE, CA 95112	Inspection Date 05/05/2022
Program PR0306310 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name PHO CONG LY CORPORATIC	Inspection Time 12:30 - 13:15
Inspected By GUILLERMO VAZQUEZ	Inspection Type FOLLOW-UP INSPECTION	Consent By TOMAI L.	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 04/27/2022

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 05/05/2022

Cited On: 04/27/2022

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 05/05/2022

Minor Violations

Cited On: 04/27/2022

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Compliance of this violation has been verified on: 05/05/2022

Measured Observations

N/A

Overall Comments:

This is a follow up inspection with regards to all the major violations mentioned in 4/27/22 inspection report. All major violations have been addressed and closed out.

- **K34: Warewash facilities: installed/maintained; test strips. Test strips for chlorine are available.**
- **K23: No rodents, insects, birds, or animals. No evidence of any vermin activity at the time of inspection. Continue to monitor for any vermin within facility. Recommend having pest control come more frequently to facility.**
- **K06: Adequate handwash facilities supplied, accessible. All hand wash stations are fully operational.**

Facility is allowed to re-open.

Continue on working on all other violations mentioned on 4/27/22 inspection report.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/19/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0209568 - PHO CONG LY	Site Address 460 E WILLIAMS ST, SAN JOSE, CA 95112	Inspection Date 05/05/2022
Program PR0306310 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name PHO CONG LY CORPORATION	Inspection Time 12:30 - 13:15

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Tomai L.
PIC

Signed On: May 05, 2022