

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209643 - SUBWAY SANDWICHES		Site Address 475 E SAN CARLOS ST, SAN JOSE, CA 95112		Inspection Date 05/01/2026		Placard Color & Score GREEN 94		
Program PR0303319 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name LOGAR MA32 INC		Inspection Time 14:55 - 15:55			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By REYNA				FSC Mirwais Ahmadi 01/17/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0209643 - SUBWAY SANDWICHES	Site Address 475 E SAN CARLOS ST, SAN JOSE, CA 95112	Inspection Date 05/01/2026
Program PR0303319 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name LOGAR MA32 INC	Inspection Time 14:55 - 15:55
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

The undercounter cooler across the register is in disrepair and unable to maintain PHFs at 41F or below.

[CA] Ensure to maintain equipment in good repair. Service, repair, or replace the unit.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

1. Observed a handwash sink to have been removed in the back of house area. Hot and cold water lines along with a waste pipe were found inside a small cabinet.

[CA] All plumbing and plumbing fixtures shall be installed in compliance with applicable local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Reinstall the handwash sink within 30 days.

2. Observed a waste pipe draining directly into the removed sink drain pipe.

[CA] All equipment that discharges liquid waste shall be drained by means of indirect waste pipes, and all wastes drained by them shall discharge through an airgap into a floor sink or other approved type of receptor.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

There is a hole in the wall near the three compartment sink.

Note: A rodent trap is set up directly from the hole.

[CA] Seal the hole in the gap. Ensure to maintain the floors, walls, and ceilings of the facility clean and in good repair.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Turkey	Cold Hold Service Line	40.00 Fahrenheit	
Water	Handwash Sink - Service Line	100.00 Fahrenheit	
Quaternary Ammonia - Sanitizer	Three Compartment Sink	200.00 PPM	
Water	Three Compartment Sink	120.00 Fahrenheit	
Meatball	Steam Table	160.00 Fahrenheit	
Chicken	Walk in Freezer	10.00 Fahrenheit	IR
Sliced Tomatoes	Undercounter Cooler	40.00 Fahrenheit	
Ham	Walk in Cooler	39.00 Fahrenheit	
Sliced Tomatoes	Cold Hold Service Line	40.00 Fahrenheit	

Follow-up By
06/01/2026

OFFICIAL INSPECTION REPORT

Facility FA0209643 - SUBWAY SANDWICHES	Site Address 475 E SAN CARLOS ST, SAN JOSE, CA 95112	Inspection Date 05/01/2026
Program PR0303319 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name LOGAR MA32 INC	Inspection Time 14:55 - 15:55

Overall Comments:

Notes:

- Send proof of corrections for the reinstallation of the handwash sink in the back of house area within 30 days to district specialist. Send photos via email to Alexander.Alfaro@deh.sccgov.org. Failure to provide corrections will result in additional site visits. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$282.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/15/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Ashley
Sandwich Artist - Person in Charge

Signed On: May 01, 2026