

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0254116 - HILTON GARDEN INN - GILROY - KITCHEN		Site Address 6070 MONTEREY ST, GILROY, CA 95020		Inspection Date 12/11/2025		Placard Color & Score GREEN 90		
Program PR0370411 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name TRIMARK-GILROY HOSPITAL		Inspection Time 10:20 - 12:00			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By JENNIFER CAMPOS				FSC Jennifer Campos 9/30/29

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						S
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X		X			S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0254116 - HILTON GARDEN INN - GILROY - KITCHEN		Site Address 6070 MONTEREY ST, GILROY, CA 95020	Inspection Date 12/11/2025
Program PR0370411 - FOOD PREP / FOOD SVC OP. 6-25 EMPLOYEES RC 2 - FP13		Owner Name TRIMARK-GILROY HOSPITALITY, LLC	Inspection Time 10:20 - 12:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Sanitizer within the dish washer was measured at 0PPM at the time of inspection. Active ware-washing taking place.

[CA] Maintain chlorine in mechanical ware-wash machine at 50 PPM.

[COS] Sanitizer line was not fully connected to the system; had a leak on one of the lines. PIC, was able to re-connect the line and re-measured at 50PPM.

Minor Violations

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: 1. Some holes noted within the FRP next to the reach in freezer.

[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

2. The stainless steel floor within the walk in is starting to warp and come off floor. Per PIC, they plan on doing some renovations within the walk in.

[CA] Re-install the stainless steel to the flooring properly.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Pancake batter	Under counter refrigeration #2	39.00 Fahrenheit	
Cooked potatoes	Metal tray	102.00 Fahrenheit	Cooling for about 30-mins
Raw burger patty	Walk in	39.00 Fahrenheit	
Sausage	Hot holding	155.00 Fahrenheit	
Salmon	Under counter refrigeration	39.00 Fahrenheit	
Milk	Reach in	39.00 Fahrenheit	
Warm water	Hand wash/restrooms	100.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	0.00 PPM	Adjust to 50PPM. COS
Sanitizer (Quats)	Sanitizer bucket	200.00 PPM	
Ambient	Walk in freezer	5.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Cheese	Walk in	39.00 Fahrenheit	
Cooked chicken	Under counter refrigeration	40.00 Fahrenheit	
Sanitizer (Quats)	3-Compartment	200.00 PPM	
Cooked eggs	Hot holding	153.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/25/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0254116 - HILTON GARDEN INN - GILROY - KITCHEN	Site Address 6070 MONTEREY ST, GILROY, CA 95020	Inspection Date 12/11/2025
Program PR0370411 - FOOD PREP / FOOD SVC OP. 6-25 EMPLOYEES RC 2 - FP13	Owner Name TRIMARK-GILROY HOSPITALITY, LLC	Inspection Time 10:20 - 12:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Jennifer Campos
Supervisor

Signed On: December 11, 2025