

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | |
|--|--|----------------------------------|
| Facility FA0230009 - VBEZAWADA | Site Address 127 DIXON RD, MILPITAS, CA 95035 | Inspection Date 07/06/2021 |
| Program PR0330010 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11 | Owner Name VBEZAWADA LLC | Inspection Time 16:45 - 17:45 |
| Inspected By FRANK LEONG | Inspection Type FOLLOW-UP INSPECTION | Consent By SRI SARANU |

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

Cited On: 07/01/2021

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Compliance of this violation has been verified on: 07/06/2021

Cited On: 07/01/2021

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 07/06/2021

Cited On: 07/01/2021

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 07/06/2021. See details below.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow-up inspection for closure due to cockroach infestation in the facility.

The following violation(s) was corrected:

K06M - IMPROPER COOLING

- No improper cooling of food items was observed during time of inspection.
- Per operator, all food items to be discarded prior to reopening facility.

K13M - CONTAMINATION OF FOOD

- Observed food stored in refrigeration in the kitchen area was free from contaminants.
- No food was observed stored in the 2 door prep unit.
- Operator stated all food items to be discarded prior to reopening facility.

The following violation(s) was not corrected:

K23M - COCKROACH ACTIVITY

- Facility was fumigated by pest control service per pest control report.
- In the employee service area, observed multiple live cockroaches on the top right side in crevices between crown molding and FRP panels.
- In the kitchen area, by the cookline, observed 3 live cockroaches on shelving above prep tables.
- In the kitchen area, directly next to the entrance to the kitchen, behind the 3 door reach in refrigerator, observed a single live cockroach between the power outlet panel.
- In the warewash area, in the crevice between the two stainless steel storage shelves above the 3 compartment sink, observed 5 live cockroaches.

OFFICIAL INSPECTION REPORT

| | | |
|--|--|----------------------------------|
| Facility FA0230009 - VBEZAWADA | Site Address 127 DIXON RD, MILPITAS, CA 95035 | Inspection Date 07/06/2021 |
| Program PR0330010 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11 | Owner Name VBEZAWADA LLC | Inspection Time 16:45 - 17:45 |

- Facility will continue to stay closed. Contact pest control to provide further service for facility. Clean and sanitize all areas with activity.

- Remove all equipment from the kitchen area to allow for further cleaning and preventing areas of harborage. Seal all cracks and crevices to prevent further harborage.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/20/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

| | |
|--------|---------------------------------|
| [CA] | Corrective Action |
| [COS] | Corrected on Site |
| [N] | Needs Improvement |
| [NA] | Not Applicable |
| [NO] | Not Observed |
| [PBI] | Performance-based Inspection |
| [PHF] | Potentially Hazardous Food |
| [PIC] | Person in Charge |
| [PPM] | Part per Million |
| [S] | Satisfactory |
| [SA] | Suitable Alternative |
| [TPHC] | Time as a Public Health Control |

Received By:

Signed On: July 09, 2021

Comment: Signature not obtained due to COVID-19 and social distancing parameters. A copy of this report will be emailed to the operator.