

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0200591 - ST JOSEPH CUPERTINO CHURCH		Site Address 10110 N DE ANZA BL, CUPERTINO, CA 95014		Inspection Date 03/27/2025		Placard Color & Score GREEN 94		
Program PR0306163 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23			Owner Name ST JOSEPH CUPERTINO CHI		Inspection Time 12:20 - 13:20			
Inspected By SUHKREET KAUR		Inspection Type ROUTINE INSPECTION		Consent By CAITLIN LAVERY				FSC PRIMITIVO MARTINEZ 4/11/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				N
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				N

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0200591 - ST JOSEPH CUPERTINO CHURCH	Site Address 10110 N DE ANZA BL, CUPERTINO, CA 95014	Inspection Date 03/27/2025
Program PR0306163 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name ST JOSEPH CUPERTINO CHURCH	Inspection Time 12:20 - 13:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: *Repeat violation

Hot water measured at 103F at two compartment sink.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: *Repeat violation

Observed 1 old rodent dropping on top of dish machine, observed few old rodents droppings on floor between burners and water heater room wall.

[CA] Clean and sanitize area of old droppings.

Continue to obtain professional pest control services as needed.

Performance-Based Inspection Questions

Needs Improvement - No rodents, insects, birds, or animals.

Needs Improvement - Hot and cold water available.

Measured Observations

Item	Location	Measurement	Comments
Yogurt	Two door refrigerator	41.00 Fahrenheit	
Hot water	Two compartment sink	103.00 Fahrenheit	

Overall Comments:

Facility gets prepackaged lunch from Pasta Market at 460 E El Camino Real, Sunnyvale.

A designated person from facility goes over to Pasta Market and picks up food at 11:30 AM. Lunch is delivered to students at 12 PM daily.

Number of students for lunch vary between 15-20.

Facility no longer uses hot holding unit to hold PHFs until lunch time. Lunch food is distributed to students within 15-20 minutes of when it arrives on site.

Per office manager, a document with lunch items and temperature is provided by Pasta Market but is recycled at the end of the lunch shift.

Ensure a log sheet with temperatures is kept in records for few weeks.

Additional SOPs may be required. District Specialist will email Office Manager with more details.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/10/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0200591 - ST JOSEPH CUPERTINO CHURCH	Site Address 10110 N DE ANZA BL, CUPERTINO, CA 95014	Inspection Date 03/27/2025
Program PR0306163 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name ST JOSEPH CUPERTINO CHURCH	Inspection Time 12:20 - 13:20

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: CAITLIN LAVERY
Office Manager

Signed On: March 27, 2025