

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0211521 - KABAB & CURRYS		Site Address 1498 ISABELLA ST, SANTA CLARA, CA 95050		Inspection Date 10/17/2023	
Program PR0307467 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name NAIMAT KADAH INTL INC		Inspection Time 14:35 - 16:00
Inspected By FARHAD AMIR-EBRAHIMI	Inspection Type ROUTINE INSPECTION		Consent By MOHAMMAD USMAN	FSC Mohammad Usman 07/01/24	

Placard Color & Score
<b>GREEN</b>
<b>93</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				S
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean	X	
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0211521 - KABAB & CURRYS	Site Address 1498 ISABELLA ST, SANTA CLARA, CA 95050	Inspection Date 10/17/2023
Program PR0307467 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name NAIMAT KADAH INTL INC	Inspection Time 14:35 - 16:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: 1. Kitchen hand sink drain very slowly [CA] Modify to drain properly**

**2. Soap was like an sticky paste. Difficult ot rinse off hands [CA] Replace the soap - Corrected**

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

**Inspector Observations: 1. Gap between hood filters [CA] Eliminate gap**

**2. Some kitchen lights missing cover [CA] Provide light covers as needed**

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

**Inspector Observations: Some kitchen floor tiles are broken [CA] Replace broken floor tiles.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
Chicken	Line cooler	41.00 Fahrenheit	
Yogurt	Service cooler	41.00 Fahrenheit	
Beef	Walk-in cooler	40.00 Fahrenheit	
Water	2-comp sink	122.00 Fahrenheit	
Chlorine	Dishwasher	50.00 PPM	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/31/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

### Legend:

<b>[CA]</b>	Corrective Action
<b>[COS]</b>	Corrected on Site
<b>[N]</b>	Needs Improvement
<b>[NA]</b>	Not Applicable
<b>[NO]</b>	Not Observed
<b>[PBI]</b>	Performance-based Inspection
<b>[PHF]</b>	Potentially Hazardous Food
<b>[PIC]</b>	Person in Charge
<b>[PPM]</b>	Part per Million
<b>[S]</b>	Satisfactory
<b>[SA]</b>	Suitable Alternative
<b>[TPHC]</b>	Time as a Public Health Control



**Received By:** Mohammad Usman

**Signed On:** October 17, 2023