

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0258188 - ST-RAY'S		Site Address 750 ESCONDIDO RD, STANFORD, CA 94305		Inspection Date 01/25/2024	
Program PR0377968 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name KLEIN, RAYMOND		Inspection Time 12:00 - 14:00
Inspected By ALELI CRUTCHFIELD	Inspection Type ROUTINE INSPECTION	Consent By ELIZABETH	FSC Lorena Aguilar 3/27/2028		

Placard Color & Score
GREEN
88

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored	X	
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0258188 - ST-RAY'S	Site Address 750 ESCONDIDO RD, STANFORD, CA 94305	Inspection Date 01/25/2024
Program PR0377968 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name KLEIN, RAYMOND	Inspection Time 12:00 - 14:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured salsa at 55F at self serve 3 door unit in dining area. [CA] PHF held for dispensing in serving lines and salad bars (up to 12 hours in any 24-hr period AND left-over must be discarded) shall be maintained 45F and below. Manager adjusted thermostat during inspection.

Measured enchilada and red sauce between 48-49F in 2 glass door unit in kitchen. [CA] Maintain potentially hazardous food 41F and below. Recommend to adjust the thermostat so unit has an ambient temperature of 32-35F- this will help keep food 41F and below when unit is in constant use.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured water at hand sink next to cookline at 60F. [CA] Maintain a minimum of 100F water but not to exceed 108F for combination faucets.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Observed open bulk bags of dry ingredients. [CA] Keep bulk bags sealed when not in use. Manager in process of obtaining new bulk containers.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack of chorine test strips for dishwasher. [CA] Provide chlorine test strips to ensure dishwasher reads a sanitizer concentration of 50 ppm.

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Observed 2 wiping cloths on prep table. [CA] Store wiping cloths inside the sanitizer bucket in between uses.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
water	3 comp sink faucet	130.00 Fahrenheit	
quat ammonia	dispenser	200.00 PPM	
rice, chicken	steam table	156.00 Fahrenheit	
sliced tomatoes	single door prep unit	41.00 Fahrenheit	
yogurt	customer display case	41.00 Fahrenheit	
chlorine	dishwasher	50.00 PPM	
beef patty final cook	grill	167.00 Fahrenheit	
rice	rice cooker	150.00 Fahrenheit	
salsa	2 door prep unit- kitchen	35.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0258188 - ST-RAY'S	Site Address 750 ESCONDIDO RD, STANFORD, CA 94305	Inspection Date 01/25/2024
Program PR0377968 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name KLEIN, RAYMOND	Inspection Time 12:00 - 14:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 2/8/2024. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: elizabeth
nager
Signed On: January 25, 2024