

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0254030 - MINT & BASIL	Site Address 1741 N MILPITAS BL, MILPITAS, CA 95035	Inspection Date 03/23/2021
Program PR0370189 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name JAIMIE CHU	Inspection Time 11:45 - 12:45
Inspected By FRANK LEONG	Inspection Type FOLLOW-UP INSPECTION	Consent By FRANK LE

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

Cited On: 03/10/2021

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 03/23/2021

Cited On: 03/10/2021

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 03/23/2021

Cited On: 03/10/2021

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 03/23/2021. See details below.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow-up inspection for closure due to cockroach activity.

The following violation was not corrected:

K23M - COCKROACH INFESTATION

- In the kitchen area, at the storage area, observed 2 live cockroaches by the large upright reach in freezer. Operator moved upright reach in freezer and observed cockroach activity below and underneath reach in freezer.
- Facility is currently showing signs of active infestation. Continue to clean and sanitize areas with cockroach activity.
- Operator to remove all equipment by walls and clean floors below equipment to prevent harborage of vermin.
- Follow-up inspection scheduled for Wednesday 3/24/2021.

The following violations have been corrected:

K21M - INADEQUATE SUPPLY OF HOT WATER

- Observed hot water provided at handwash stations in the kitchen area.

K07M - IMPROPER HOLDING TEMPERATURES

- Operator removed non-functioning 2 door prep unit, and replaced with 2 door prep unit previously stored by the front counter area.
- Measured ambient air temperature between 36F and 38F.

OFFICIAL INSPECTION REPORT

Facility FA0254030 - MINT & BASIL	Site Address 1741 N MILPITAS BL, MILPITAS, CA 95035	Inspection Date 03/23/2021
Program PR0370189 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name JAIMIE CHU	Inspection Time 11:45 - 12:45

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/6/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By:

Signed On: March 25, 2021

Comment: Signature not obtained due to COVID-19 and social distancing parameters. A copy of this report will be emailed to the operator.