

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0212036 - KABOB HOUSE		Site Address 2915 EL CAMINO REAL, SANTA CLARA, CA 95051		Inspection Date 02/06/2025	
Program PR0414873 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name MERWAIS NABIZADA INC		Inspection Time 11:00 - 12:30
Inspected By FARHAD AMIR-EBRAHIMI	Inspection Type ROUTINE INSPECTION	Consent By MERWAIS NABIZADA	FSC Not Available		

Placard Color & Score
GREEN
89

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized					X		
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		X
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		X
K39 Thermometers provided, accurate		X
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		X
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built,maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0212036 - KABOB HOUSE	Site Address 2915 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 02/06/2025
Program PR0414873 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name MERWAIS NABIZADA INC	Inspection Time 11:00 - 12:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: REPEAT VIOLATION:

Food safety manager certificate was not available for review. [CA] At least one person in the facility shall maintain a food safety manager certificate.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations: Items packaged on site missing label. [CA] Label information shall include the following:

- (1) The common name of the food, or absent a common name, an adequately descriptive identity statement.
- (2) If made from two or more ingredients, a list of ingredients in descending order of predominance by weight, including a declaration of artificial color or flavor and chemical preservatives, if contained in the food.
- (3) An accurate declaration of the quantity of contents.
- (4) The name and place of business of the manufacturer, packer, or distributor.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: REPEAT VIOLATION:

1. Part of the charbroiler not being operated under the hood. [CA] Adjust cooking equipment to provide a minimum of 6 inches overhang of ventilation hood over cooking equipment

2. Hood filters show grease buildup [CA] Clean the hood filters

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: REPEAT VIOLATION:

1. Several refrigeration units are lacking thermometers. [CA] Provide thermometers for all refrigerators and place them where they are easily visible.

2. lack a probe thermometer [CA] Provide a probe thermometer and check food temperatures daily - Corrected

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Kitchen hand sink drains very slowly [CA] Fix the plumbing to proper drainage

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Meat dish	2-door cooler	40.00 Fahrenheit	
Fries	Freezer	11.00 Fahrenheit	
Milk	Cooler	41.00 Fahrenheit	
Water	3-comp sink	125.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0212036 - KABOB HOUSE	Site Address 2915 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 02/06/2025
Program PR0414873 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name MERWAIS NABIZADA INC	Inspection Time 11:00 - 12:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 2/20/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: MERWAIS NABIZADA

Signed On: February 06, 2025