

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0212018 - EMBASSY SUITES RESTAURANT		Site Address 2885 LAKESIDE DR, SANTA CLARA, CA 95054		Inspection Date 11/17/2025		Placard Color & Score GREEN 87		
Program PR0303153 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name SANTA CLARA TENANT COR		Inspection Time 07:45 - 09:25			
Inspected By MARCELA MASRI		Inspection Type ROUTINE INSPECTION		Consent By KENT PARAS				FSC KENT PARAS -25-28

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth					X		
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly					X		
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			S
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0212018 - EMBASSY SUITES RESTAURANT		Site Address 2885 LAKESIDE DR, SANTA CLARA, CA 95054	Inspection Date 11/17/2025
Program PR0303153 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17		Owner Name SANTA CLARA TENANT CORP MGT	Inspection Time 07:45 - 09:25
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: FOUND THE CHEESE AND THE CHORIZO AT 52F IN ICE AT THE OMELETTE STATION. [CA] KEEP COLD POTENTIALLY HAZARDOUS FOOD AT 41F OR BELOW. SA: MAY USE TIME AS A PUBLIC HEALTH CONTROL FOR TODAY ONLY. DISCARD THE FOOD AFTER 4 HRS.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: FOUND THE HOT WATER AT THE HAND WASH SINKS IN THE WOMEN'S RESTROOM AT 83F. [CA] PROVIDE HOT WATER AT 100F MINIMUM.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: FOUND THE MOP STORED BEHIND THE ICE MACHINE. [CA] HANG THE MOP TO AIR DRY. COS

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
HARD BOILED EGGS	IN ICE AT THE OMELETTE BAR	35.00 Fahrenheit	
CHORIZO	ON ICE AT THE OMELETTE STATION	52.00 Fahrenheit	
SALAD DRESSING	WALK IN COOLER	26.00 Fahrenheit	
HOT WATER	WOMEN'S HAND WASH SINK	83.00 Fahrenheit	
BACON	HOT HOLDING	146.00 Fahrenheit	
HOT WATER	MEN'S HAND WASH SINK	100.00 Fahrenheit	
HOT WATER	HAND WASH SINK	100.00 Fahrenheit	
SAUSAGE	COOKING TEMP	165.00 Fahrenheit	
CHEESE	ON ICE AT THE OMELETTE STATION	52.00 Fahrenheit	
HOT WATER	3 COMPARTMENT SINK	120.00 Fahrenheit	
CHEESE	WALK IN COOLER	25.00 Fahrenheit	
CALAMARI	SERVICE REFRIGERATOR	35.00 Fahrenheit	
CHEESE	DRAWER REFRIGERATOR	31.00 Fahrenheit	
MEAT	WALK IN FREEZER	-18.00 Fahrenheit	
CHEESE	SERVICE REFRIGERATOR	38.00 Fahrenheit	
PICO DE GALLO	SERVICE REFRIGERATOR	39.00 Fahrenheit	
CHLORINE SANITIZER	WARE WASHER	100.00 PPM	
CUT MELON	WALK IN COOLER 2	27.00 Fahrenheit	
SALAD DRESSING	SERVICE REFRIGERATOR	35.00 Fahrenheit	
COOKED POTATOES	SERVICE REFRIGERATOR	32.00 Fahrenheit	
CREAM CHEESE	WALK IN COOLER	35.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/1/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0212018 - EMBASSY SUITES RESTAURANT	Site Address 2885 LAKESIDE DR, SANTA CLARA, CA 95054	Inspection Date 11/17/2025
Program PR0303153 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name SANTA CLARA TENANT CORP MGT	Inspection Time 07:45 - 09:25

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: KENT PARAS
EXECUTIVE CHEF
Signed On: November 17, 2025