

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208597 - EL CAMARON LOCO BY METRO BALDERAS		Site Address 301 E SANTA CLARA ST B, SAN JOSE, CA 95113	Inspection Date 05/10/2022
Program PR0304962 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name SC CORTEZ INC	Inspection Time 10:50 - 12:50
Inspected By FRANK LEONG	Inspection Type LIMITED INSPECTION	Consent By CONRRADO BAUTISTA SANTOS	

Placard Color & Score RED N/A
--

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *In the employee service area, at the handwash station, observed a lack of hand soap and paper towels in dispensers. [CA] Ensure handwash station is provided with hand soap and paper towels to allow for proper handwashing.*

Follow-up By
05/25/2022

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: *In the kitchen area, measured a lack of hot water at 3 compartment sink and prep sink. Per operator, gas is unavailable in the facility at this time and is in the process of setup. [CA] Ensure hot water is provided to all 3 compartment sinks, prep sinks, and mop sinks at 120F, and at all handwash stations between 100F and 108F.*

Follow-up By
05/25/2022

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: *Observed an unapproved Autodonor installed at the cookline. Per operator, previous equipment installed was a small steam table. [CA] Ensure that any and all new equipment is approved through plan check.*

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: *In the employee service station, the restrooms, the storage area, and the bar, observed a lack of cove base tiles. [CA] Ensure approved cove base tiles are installed in all prep areas, open food storage, and restrooms.*

Follow-up By
05/25/2022

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
hot water	3 compartment sink	60.00 Fahrenheit	
hot water	handwash sink	60.00 Fahrenheit	
ambient air temperature	2 door reach in refrigerator	35.00 Fahrenheit	
hot water	prep sink	60.00 Fahrenheit	
ambient air temperature	2 door prep unit	35.00 Fahrenheit	

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: RESTAURANTE EL CONRRO, INC.
NEW OWNER: RESTAURANTE EL CONRRO, INC.

The applicant has not completed the change of ownership application process for an Environmental Health Permit.

The permit category for this facility is FP11. An invoice for the permit fee in the amount of 1,227.00.

OFFICIAL INSPECTION REPORT

Facility FA0208597 - EL CAMARON LOCO BY METRO BALDERAS	Site Address 301 E SANTA CLARA ST B, SAN JOSE, CA 95113	Inspection Date 05/10/2022
Program PR0304962 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SC CORTEZ INC	Inspection Time 10:50 - 12:50

***Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.**

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/24/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: CONRRADO BAUTISTA SANTOS
OWNER

Signed On: May 10, 2022