

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0255040 - NAMASTE PLAZA		Site Address 1202 APOLLO WY, SUNNYVALE, CA 94085		Inspection Date 12/11/2024	
Program PR0372327 - NO FOOD PREP 5,000-20,000 SQ FT - FP07			Owner Name ROYAL TREASURES INC		Inspection Time 13:45 - 14:30
Inspected By MAMAYE KEBEDE	Inspection Type ROUTINE INSPECTION		Consent By SRIDHAR PANCHUMARTHI	FSC	

Placard Color & Score
GREEN
90

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						N
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						N
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures					X		
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized					X		N
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented	X	
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built, maintained, clean	X	
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0255040 - NAMASTE PLAZA	Site Address 1202 APOLLO WY, SUNNYVALE, CA 94085	Inspection Date 12/11/2024
Program PR0372327 - NO FOOD PREP 5,000-20,000 SQ FT - FP07	Owner Name ROYAL TREASURES INC	Inspection Time 13:45 - 14:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Some food products on boxes were stored directly on the floor or on milk crate back in the storage area.

[CA] To prevent insect hiding and breeding and for easy cleaning of the floor area, please store all food products at least six inches off the floor on approved shelf or dunnage rack.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations: Some individually packaged products including ice cream stored on the self-serve area do not have proper label.

[CA] Food prepackaged in a food facility shall bear a label that complies with the labeling requirements prescribed by the Sherman Food, Drug, and Cosmetic Law, Part 5 and label information shall include:

- 1. The common name of the food**
- 2. If made from two or more ingredients, a list of ingredients in descending order of predominance by weight, including a declaration of artificial color or flavor and chemical preservatives, if contained in the food.**
- 3. An accurate declaration of the quantity of contents.**
- 4. The name and place of business of the manufacturer, packer, or distributor.**

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: There was no lighting in the whole back storage area.

[CA] Restore light on the room within 24 hours.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: The mop bucket was stored on the three compartment sink.

[CA] Please use the janitorial sink to dispose the gray water and store the mop bucket. Wet mops must also be hanged on the mop hanger located by the mop sink.

A lot of old equipment and utensils were stored on the floor back in the storage area.

[CA] Remove or relocate all the old utensils and equipment immediately.

The cover of the grease trap is rotten.

[CA] Repair or replace the grease trap immediately.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: There is heavy dirt accumulation on the floor area of the storage and display aisles. There also are some damaged coving and floor tile s in the storage area.

[CA] Conduct a thorough cleaning of the floor area. The damaged and missing coving and floor tiles must also be replaced immediately.

There are some damaged floor patches in the grocery store area.

[CA] Patch, paint, or replace the damaged floor areas.

Performance-Based Inspection Questions

