

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0213409 - LADOS		Site Address 115 PLAZA DR, SUNNYVALE, CA 94089	Inspection Date 05/01/2026
Program PR0302261 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name MOHAMMAD KHAN/AYESHA	Inspection Time 09:30 - 10:10
Inspected By HINA WYNE	Inspection Type FOLLOW-UP INSPECTION	Consent By NESTER	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 04/30/2026

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

This violation found not in compliance on 05/01/2026. See details below.

Cited On: 04/30/2026

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

This violation found not in compliance on 05/01/2026. See details below.

Minor Violations

Cited On: 04/30/2026

K48 - 2 Points - Plan review unapproved; 114380

This violation found not in compliance on 05/01/2026. See details below.

Measured Observations

Item	Location	Measurement	Comments
HOT WATER	HAND WASHING	100.00 Fahrenheit	
HOT WATER	3-COMP SINK	120.00 Fahrenheit	

Overall Comments:

Facility reopen after hot water heater is fixed and hot running water was measured 120 F and above.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/15/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: NESTER
 PIC
Signed On: May 01, 2026