County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| Facility FA0211636 - KATSUYAKI | | Site Address 1992 LAFAYETTE ST | , SANTA CLARA, CA 95050 | Inspection Date 01/15/2024 |
|--|--------------------------------------|-----------------------------------|-----------------------------|----------------------------------|
| Program PR0300643 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 | | 3 - FP11 | Owner Name KATSUYAKI INC | Inspection Time 12:30 - 14:05 |
| Inspected By KAYA ALASSFAR | Inspection Type FOLLOW-UP INSPECTION | Consent By IL KIM | | |



Comments and Observations

Major Violations

Cited On: 01/08/2024

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 01/15/2024

Cited On: 01/12/2024

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 01/15/2024. See details below.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Second Follow up inspection after facility closure on 1/8/2024 due to vermin infestation.

The following violation was corrected: k23 - No rodents, insects, birds or animals

- One mid size cockroach found inside paper towel dispenser next to the preparation sink. Owner immediately removed it and cleaned and sanitized inside the dispenser and all areas around.
- No other live activity observed.
- Facility sealed the gap in the left back hallway door.
- Facility was serviced on 1/9/2024 and pest report was provided for review.
- Continue to seal any remaining gaps and crevices.
- Continue to clean and sanitize areas of dead cockroaches.
- Facility is Ok to reopen.

Subsequent follow-up inspection after first follow-up shall be billed \$290/hour, minimum one hour, during normal business hours (Monday - Friday, 7:30 AM to 4:30 PM), and \$629/hour, minimum two hours, during non-business hours, and upon inspector availability.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 1/29/2024. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

| Facility | Site Address | Inspection Date |
|--|--|-----------------|
| FA0211636 - KATSUYAKI | 1992 LAFAYETTE ST, SANTA CLARA, CA 95050 | 01/15/2024 |
| Program | Owner Name | Inspection Time |
| PR0300643 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 | 3 - FP11 KATSUYAKI INC | 12:30 - 14:05 |

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI]Performance-based Inspection[PHF]Potentially Hazardous Food

[PIC]Person in Charge[PPM]Part per Million[S]Satisfactory[SA]Suitable Alternative

[TPHC] Time as a Public Health Control

Received By:

Signed On: January 15, 2024

II kim Owner