

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207489 - SABA GRILL		Site Address 205 N 4TH ST, SAN JOSE, CA 95112	Inspection Date 10/22/2026
Program PR0300496 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name SABA GRILL LLC	Inspection Time 13:10 - 14:10
Inspected By ALEXANDER ALFARO	Inspection Type LIMITED INSPECTION	Consent By AZEEM	

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Facility lacks hot water.

[CA] An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times.

Contact District Specialist to reschedule the Change of Ownership Inspection

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Facility has the following equipment that are not certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program.

- White chest freezer
- Mini wine cooler
- Countertop Display Case Cooler

[CA] All equipment must be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (NSF, ETL, UL, etcetera)

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Water	Three Compartment Sink	70.00 Fahrenheit	
Water	Prep Sink	70.00 Fahrenheit	
Water	Handwash Sink	70.00 Fahrenheit	
Water	Handwash Sink	70.00 Fahrenheit	

Overall Comments:

Onsite for scheduled Change of Ownership inspection.

Environmental Health permit could not be issued due to facility lacking an adequate supply of hot water.

Contact District Specialist at (408) 918-2726 or Alexander.Alfaro@deh.sccgov.org to schedule follow up inspection.

OFFICIAL INSPECTION REPORT

Facility FA0207489 - SABA GRILL	Site Address 205 N 4TH ST, SAN JOSE, CA 95112	Inspection Date 10/22/2026
Program PR0300496 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name SABA GRILL LLC	Inspection Time 13:10 - 14:10

CLOSURE / PERMIT SUSPENSION NOTICE


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/5/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Azeem
New Owner
Signed On: October 22, 2026