

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|---|--|---|--|--------------------------------------|---|
| Facility FA0258983 - COVOUR COFFEE | | Site Address 2706 MIDDLEFIELD RD, PALO ALTO, CA 94306 | | Inspection Date 12/09/2025 | |
| Program PR0379368 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09 | | | Owner Name COVOUR COFFEE INC | | Inspection Time 14:45 - 16:00 |
| Inspected By JENNIE PENALOZA | Inspection Type ROUTINE INSPECTION | Consent By ALEX | FSC Not Available | | |

| |
|---|
| Placard Color & Score GREEN 90 |
|---|

| RISK FACTORS AND INTERVENTIONS | IN | OUT | | COS/SA | N/O | N/A | PBI |
|---|----|-------|-------|--------|-----|-----|-----|
| | | Major | Minor | | | | |
| K01 Demonstration of knowledge; food safety certification | | | X | | | | |
| K02 Communicable disease; reporting/restriction/exclusion | X | | | | | | S |
| K03 No discharge from eyes, nose, mouth | X | | | | | | |
| K04 Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 Hands clean, properly washed; gloves used properly | X | | | | | | |
| K06 Adequate handwash facilities supplied, accessible | X | | | | | | S |
| K07 Proper hot and cold holding temperatures | X | | | | | | S |
| K08 Time as a public health control; procedures & records | | | | | | X | |
| K09 Proper cooling methods | | | | | | X | |
| K10 Proper cooking time & temperatures | | | | | | X | |
| K11 Proper reheating procedures for hot holding | | | | | | X | |
| K12 Returned and reservice of food | X | | | | | | |
| K13 Food in good condition, safe, unadulterated | X | | | | | | |
| K14 Food contact surfaces clean, sanitized | X | | | | | | |
| K15 Food obtained from approved source | X | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 Hot and cold water available | | | X | | | | |
| K22 Sewage and wastewater properly disposed | X | | | | | | |
| K23 No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | OUT | COS |
|---|-----|-----|
| K24 Person in charge present and performing duties | | |
| K25 Proper personal cleanliness and hair restraints | | |
| K26 Approved thawing methods used; frozen food | | |
| K27 Food separated and protected | | |
| K28 Fruits and vegetables washed | | |
| K29 Toxic substances properly identified, stored, used | | |
| K30 Food storage: food storage containers identified | | |
| K31 Consumer self service does prevent contamination | | |
| K32 Food properly labeled and honestly presented | | |
| K33 Nonfood contact surfaces clean | | |
| K34 Warewash facilities: installed/maintained; test strips | X | |
| K35 Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 Equipment, utensils, linens: Proper storage and use | | |
| K37 Vending machines | | |
| K38 Adequate ventilation/lighting; designated areas, use | | |
| K39 Thermometers provided, accurate | | |
| K40 Wiping cloths: properly used, stored | | |
| K41 Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 Garbage & refuse properly disposed; facilities maintained | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 Floor, walls, ceilings: built,maintained, clean | | X |
| K46 No unapproved private home/living/sleeping quarters | | |
| K47 Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|--|--|----------------------------------|
| Facility FA0258983 - COVOUR COFFEE | Site Address 2706 MIDDLEFIELD RD, PALO ALTO, CA 94306 | Inspection Date 12/09/2025 |
| Program PR0379368 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09 | Owner Name COVOUR COFFEE INC | Inspection Time 14:45 - 16:00 |
| K48 | Plan review | |
| K49 | Permits available | |
| K58 | Placard properly displayed/posted | |

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Food safety certificate is not provided; PIC is unable to download certificate.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: No hot water available at the food prep sink. Only cold water is available.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Dish machine is dispensing 0.0 ppm chlorine. No chlorine test strips are provided.

[CA] Maintain chlorine in mechanical warewash machine at 50 PPM. Provide chlorine test strips.

[SA] Use 3 comp sink to manually sanitize.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Debris observed on the floor in the back prep area.

[CA] Walls and/or floors in food preparation area shall be kept clean.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| Item | Location | Measurement | Comments |
|-------------|-----------------|-------------------|-----------------------------|
| chlorine | dish machine | 0.00 PPM | |
| milk | 3 door reach in | 36.00 Fahrenheit | |
| water | hand sink | 100.00 Fahrenheit | |
| water | front hand sink | 100.00 Fahrenheit | |
| water | 3 comp sink | 133.00 Fahrenheit | |
| Heavy cream | 3 door reach in | 37.00 Fahrenheit | |
| milk | reach in | 36.00 Fahrenheit | creamer - 36F milk - 36F |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/23/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

| | | |
|---|---|---|
| Facility FA0258983 - COVOUR COFFEE | Site Address 2706 MIDDLEFIELD RD, PALO ALTO, CA 94306 | Inspection Date 12/09/2025 |
| Program PR0379368 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09 | Owner Name COVOUR COFFEE INC | Inspection Time 14:45 - 16:00 |

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Marc Sayeed
Owner

Signed On: December 09, 2025