

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0213984 - DL CAFE BRAZUCA		Site Address 510 LAWRENCE EX 101, SUNNYVALE, CA 94085		Inspection Date 11/10/2025	
Program PR0303052 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name DL COZINHA BRAZUCA, LLC		Inspection Time 15:00 - 16:30
Inspected By MARCELA MASRI	Inspection Type ROUTINE INSPECTION	Consent By DINA TOMSA	FSC Not Available		

Placard Color & Score GREEN 86

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth					X		
K04 Proper eating, tasting, drinking, tobacco use					X		
K05 Hands clean, properly washed; gloves used properly					X		
K06 Adequate handwash facilities supplied, accessible			X				S
K07 Proper hot and cold holding temperatures	X						S
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized					X		S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned	X	
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built,maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0213984 - DL CAFE BRAZUCA	Site Address 510 LAWRENCE EX 101, SUNNYVALE, CA 94085	Inspection Date 11/10/2025
Program PR0303052 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name DL COZINHA BRAZUCA, LLC	Inspection Time 15:00 - 16:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: THIRD TIME VIOLATION:

MISSING THE FOOD SAFETY CERTIFICATE FOR MANAGERS. [CA] PROVIDE THE FOOD SAFETY CERTIFICATE FOR MANGERS WITHIN 2 WEEKS.

NOTE: THE OWNER HAS REGISTERED TO TAKE THE FOOD SAFETY CERTIFICATE WITH THIS COMPANY: STATE FOOD SAFETY

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: FOUND A COUPLE OF TRAYS IN THE HAND WASH SINK IN THE FRONT SERVICE AREA. [CA] ENSURE THERE ARE NO DISHES IN THE SINK.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: FOUND BOXES OF TO GO FOOD CONTAINERS STORED IN THE RESTROOM. [CA] DO NOT STORE FOOD OR FOOD RELATED ITEMS IN THE RESTROOM.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: FOUND THE DISPLAY SHELVES MADE WITH RAW WOOD. [CA] SURFACES OF EQUIPMENT SHALL BE SMOOTH, EASILY CLEANABLE, NONABSORBENT, DURABLE, AND MAINTAINED IN GOOD REPAIR.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: REPEAT VIOLATION:

FACILITY COOKS USING TURBO OVEN WITHOUT VENTILATION HOOD. [CA]DISCONTINUE COOKING. SUBMIT PLANS TO PROVIDE AN APPROVED EXHAUST HOOD VENTILATION OVER ALL COOKING EQUIPMENT.

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

Inspector Observations: RESTROOM DOES NOT HAVE A SELF CLOSING DOOR. [CA] PROVIDE A SELF CLOSING DOOR.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0213984 - DL CAFE BRAZUCA	Site Address 510 LAWRENCE EX 101, SUNNYVALE, CA 94085	Inspection Date 11/10/2025
Program PR0303052 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name DL COZINHA BRAZUCA, LLC	Inspection Time 15:00 - 16:30

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
CHICKEN	UNDER COUNTER REFRIGERATOR	37.00 Fahrenheit	
CHICKEN CROQUETTES	REACH DOWN FREEZER	16.00 Fahrenheit	
BEEF	REACH DOWN FREEZER	-13.00 Fahrenheit	
PORK	DISPLAY REFRIGERATOR	24.00 Fahrenheit	
HOT WATER	3 COMPARTMENT SINK	120.00 Fahrenheit	
HOT WATER	HAND WASH SINK	100.00 Fahrenheit	
BUTTER	UNDER COUNTER REFRIGERATOR	36.00 Fahrenheit	
MILK	REACH IN REFRIGERATOR	36.00 Fahrenheit	
EGGS	UNDER COUNTER REFRIGERATOR	36.00 Fahrenheit	
CHEESE	REACH IN REFRIGERATOR	37.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/24/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: DINA TOMSA
OWNER

Signed On: November 10, 2025