

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0268226 - HYATT HOUSE SAN JOSE-RESTAURANT		Site Address 75 HEADQUARTERS DR, SAN JOSE, CA 95134		Inspection Date 10/28/2024		Placard Color & Score GREEN 89		
Program PR0395848 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name SELECT HOTELS GROUP LLC		Inspection Time 11:00 - 12:00			
Inspected By LAWRENCE DODSON		Inspection Type ROUTINE INSPECTION		Consent By THOMAS FABRIZIO				FSC Blandina Perez Melgarejo 6/14/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food	X	
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0268226 - HYATT HOUSE SAN JOSE-RESTAURANT	Site Address 75 HEADQUARTERS DR, SAN JOSE, CA 95134	Inspection Date 10/28/2024
Program PR0395848 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SELECT HOTELS GROUP LLC	Inspection Time 11:00 - 12:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash sink at bar is obstructed by stored items.

[CA] Handwashing facility shall be clean, unobstructed, and accessible at all times.

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations: Frozen deli meat found thawing on preparation table at ambient temperature.

[CA] Frozen potentially hazardous food shall only be thawed in one of the following ways: 1) under refrigeration that maintains the food temperature at 41°F or below, 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain, 3) in a microwave oven if immediately followed by immediate preparation, 4) as part of a cooking process.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Boxed food stored directly on the floor of the walk-in freezer.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Scoops in bulk containers lack handles.

[CA] Use scoops with handles and store scoop handle in such a way that the handle does not come in direct contact with food to prevent contamination.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Person effects found stored on food/equipment in drys storage room.[CA] No person shall store clothing or personal effects in any area used for the storage and preparation of food or food contact surfaces.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
ham	preparation table	32.00 Fahrenheit	defrosting
sanitizer concentration	3 compartment sink	200.00 PPM	quaternary ammonium
milk	service refrigerator	40.00 Fahrenheit	
preparation refrigerator	cook line	38.00 Fahrenheit	
water	hand wash sink	100.00 Fahrenheit	
water	3 compartment sink	120.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0268226 - HYATT HOUSE SAN JOSE-RESTAURANT	Site Address 75 HEADQUARTERS DR, SAN JOSE, CA 95134	Inspection Date 10/28/2024
Program PR0395848 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SELECT HOTELS GROUP LLC	Inspection Time 11:00 - 12:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/11/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Thomas Fabrizio
pic
Signed On: October 28, 2024